



2013 SNOWMOBILE BLACK & WHITE



Table of Contents

General POGA Information	1
Catalogs and Brochures.....	1
Using This Guide	1
Kit Instructions/Components.....	1
Track Exchange (New Vehicle Take-Off)	1
High Altitude Kit Exchange	1
Gear Exchange Program (New Vehicle Take-Off).....	1
Tunnel Replacement and Tunnel Stamping	1
ATV Frames.....	2
Warranty.....	2-3
Telephone Numbers.....	3
Ordering	3-5
Shipping	5
Equalized Freight.....	6-7
Ignition Keys.....	8
Sizing Charts.....	9
Arcticwear Size Ratios	10
Accessory Bag Dimensions	11
Kit Installation Times	12-13
Covers	14-15
Touring Bags.....	16-20
Touring Accessories	21-24
Windscreens	25-26
Custom Accessories.....	27-35
Mountain Accessories	36-41
Utility.....	42-46
Tracks.....	47-48
Wearbars.....	49-50
Traction & Control	51-55
General Maintenance.....	56-58
Oil & Care.....	59-63
Misc Accessories.....	64-69
120.....	69
Helmet and Neck Brace Parts.....	70-75
High Altitude Kits.....	76
2013 Optional Rear Suspension Springs.....	76-77
Drive Belt Application Guide	78
Drive Belt Dimension Chart.....	79
Promotional Products.....	80
Index.....	81

Ignition Keys

■NOTE: The information listed below will help on ordering any replacement keys. On most models, the key identification number is stamped on the key. Record this number in the space provided in the Operator's Manual as well as on the sales receipt during each sale for reference if a consumer ever needs to replace or copy a key.

ATV/ROV Keys

2006-Present ROV

2008-Present 400-1000 ATV (except 425)

0430-042	Left-Side Groove with key codes of 4000-4149
0430-043	Right-Side Groove with key codes of 4150-4299

■NOTE: A dealer can order blank keys and get them cut as long as they have the original key to copy. If the customer has lost both keys, the ignition switch assembly must be replaced.

■NOTE: If a dealer wants Arctic Cat to cut the key, the dealer needs to order a Key (p/n 0409-003). Dealer must then enter the 4-digit key code (4000-4299) found on each key.

1996-2007 ATV (except 2006-2007 250); 2011-Present 350, 366, & 425

0409-059 - A-Series	3409-011 - D-Series
0409-060 - B-Series	3409-012 - E-Series
3409-007 - C-Series	3409-013 - F-Series

■NOTE: A dealer can order blank keys and get them cut as long as they have the original key to copy. If the customer has lost both keys on a 2005 and later ATV, the ignition switch assembly must be replaced.

■NOTE: If a dealer wants Arctic Cat to cut the key for a model prior to 2005, the dealer needs to order a Key (ex: p/n 0409-059). Dealer must then enter code letter and 5 numbers (ex: E12345). Code can also be found on the ignition switch.

2006-Present 50, 90, 250, and 300

3304-520	Right-Side Cut
3304-521	Left-Side Cut

■NOTE: Hold the key pointing downward and the cut side is the narrow side. This will determine if the key is a right or left cut key.

■NOTE: A dealer can order blank keys and cut them as long as they have the original key to copy. If the customer has lost both keys, the ignition switch assembly must be replaced.

■NOTE: If a dealer wants Arctic Cat to cut the key, the dealer must order Key (p/n 0409-003). Dealer must specify the three digit code and specify if it is a left or right cut key.

Snowmobile Keys

2010-Present 4-Stroke Snowmobile

0430-042	Left-Side Groove with key codes of 4000-4149
0430-043	Right-Side Groove with key codes of 4150-4299

■NOTE: A dealer can order blank keys and get them cut as long as they have the original key to copy. If the customer has lost both keys, the ignition switch assembly must be replaced.

■NOTE: If a dealer wants Arctic Cat to cut the key, the dealer needs to order a Key (p/n 0409-003). Dealer must then enter the 4-digit key code (4000-4299) found on each key.

1998-Present 2-Stroke Snowmobile

2010-Earlier 4-Stroke Snowmobile

■NOTE: If a dealer wants Arctic Cat to cut the key, the dealer needs to order a Key (p/n 0409-003). Dealer must then enter the code (ex: A79620).

■NOTE: Each key code is stamped and/or is molded into the head of the key (example: Electric start snowmobile keys with a "1A" code order p/n 0609-453). If a key has been lost, the code is also located on the front side of the ignition switch.

1998-Present 2-Stroke Models			
Electric Start Models		Non-Electric Start Models	
p/n	Key Series	p/n	Key Series
0609-453	1A	0609-349	1A
0609-454	1B	0609-350	1B
0609-455	1C	0609-351	1C
0609-456	1D	0609-352	1D
0609-457	1E	0609-353	1E
0609-458	1F	0609-354	1F
0609-459	2A	0609-355	2A
0609-460	2B	0609-356	2B
0609-461	2C	0609-357	2C
0609-462	2D	0609-358	2D
0609-463	2E	0609-359	2E
0609-464	2F	0609-360	2F

2-Stroke and 4-Stroke through 2006 (Closed Ignitions)

p/n	Key Series
0609-412	A
0609-467	B
0609-468	C
0609-469	D
0609-470	E

2007-2009 4-Stroke Models

p/n	Key Series
0409-059	A
0409-060	B

Sizing Charts

Adult Helmets*

Helmet Size	Head-Hat Size	Head Circumference (in.)	Head Circumference (cm)
2XS	6 1/2-6 5/8	20 1/2-20 7/8	52-53
XS	6 3/4-6 7/8	21 1/4-21 5/8	54-55
Small	7-7 1/8	22-22 1/2	56-57
Medium	7 1/4-7 3/8	22 3/4-23 1/4	58-59
Large	7 1/2-7 5/8	23 5/8-24	60-61
XL	7 3/4-7 7/8	24 1/2-24 7/8	62-63
2XL	8-8 1/4	25 1/8-25 1/2	64-65
3XL	8 3/8-8 1/2	26-26 3/8	66-67
4XL	8 1/2-8 5/8	26 3/4-27 1/8	68-69

■NOTE: MX SnoCross helmets run about one size smaller on average than the regular shield helmets (i.e. MX SnoCross Large = Shield Helmet Medium).

Youth Helmets

Helmet Size	Head-Hat Size	Head Circumference (in.)	Head Circumference (cm)
Medium	6 1/8 - 6 1/4	19 - 20	48 - 49
Large	6 3/8 - 6 1/2	20 - 21 1/2	50 - 51

■NOTE: This is a guideline only. Head shape can vary size.

■NOTE: Sizing charts should be used as general guides for determining approximate size. Differences in individual body shape, as well as the type of cut and style of each garment, should be considered to ensure appropriate fit. Please visit your local Authorized Arcticwear Dealer to try on your selection.

Men's Outerwear

Size	Chest	Waist	Inseam
S	36"- 38"	28"- 30"	31"
M	40"- 42"	32"- 34"	31"
MT	40"- 42"	32"- 34"	34"
L	44"- 46"	36"- 40"	32"
LT	44"- 46"	36"- 40"	35"
XL	48"- 50"	42"- 44"	33"
XLT	48"- 50"	42"- 44"	36"
2XL	52"- 54"	46"- 48"	33"
2XLT	52"- 54"	46"- 48"	36"
3XL	56"- 58"	50"- 52"	33"
3XLT	56"- 58"	50"- 52"	36"
4XL	60"- 62"	54"- 56"	33"
5XL	64"- 66"	58"- 60"	33"

■NOTE: 5' 11" and taller, use tall sizes.

Women's Outerwear

Size	Chest	Waist	Hips	Inseam
XS	26"- 30"	19"- 23"	30"- 34"	31"
S	30"- 34"	23"- 26"	34"- 37"	31"
M	34"- 37"	26"- 30"	37"- 40"	31"
MT	34"- 37"	26"- 30"	37"- 40"	33"
L	37"- 40"	30"- 34"	40"- 43"	31"
LT	37"- 40"	30"- 34"	40"- 43"	33"
XL	40"- 43"	34"- 38"	43"- 46"	31"
XLT	40"- 43"	34"- 38"	43"- 46"	33"
2XL	43"- 46"	38"- 41"	46"- 49"	31"
3XL	46"- 49"	41"- 45"	49"- 52"	31"
4XL	49"- 52"	45"- 49"	52"- 55"	31"

■NOTE: 5' 8" and taller, use tall sizes.

Youth Outerwear

Size	Height	Chest	Waist	Inseam
4	45"- 47"	23"- 25"	20"- 22"	17"
6	47"- 49"	25"- 26"	22"- 23"	19"
8	49"- 50"	26"- 27"	23"- 24"	21"
10	51"- 54"	27"- 28"	24"- 25"	23"
12	55"- 58"	29"- 30"	25"- 26"	25"
14	59"- 61"	30"- 32"	26"- 27"	26"
16	62"- 64"	32"- 33"	27"- 28"	27"

One-Piece

Size	Height	Chest	Waist	Inseam
2	33"- 35"	21"- 22"	19"- 20"	16"
3	36"- 38"	22"- 23"	20"- 21"	17"
4	39"- 41"	23"- 24"	21"	18"
5	42"- 44"	24"- 25"	21"- 22"	19"
6	45"- 46"	25"- 26"	22"	20"
7	47"- 49"	26"- 27"	22"- 23"	21"

Glossary

Missy/Womens - Missy sizes, also referred to as straight sizes, are the sizes most commonly carried in standard women's clothing stores and generally run from 2 to 18 in even sizes.

Juniors - Juniors sizes are designed for young women ages 13 to 18 and are usually cut slimmer in the hips and bust than missy sizes. They're designated by uneven sizes 0 to 17.

Arcticwear Size Ratios

Jackets and Pants										
	S	M	MT	L	LT	XL	XLT	2XL	2XLT	3XL
Men's	2%	10%	2%	28%	6%	30%	8%	10%	2%	2%
Women's	12%	33%	2%	32%	2%	16%	1%	2%		
	4	6	8	10	12	14	16			
Youth	4%	10%	18%	20%	20%	15%	13%			
	2	3	4	5	6	7				
Youth One Piece Suits	10%	14%	17%	22%	19%	18%				
Boots										
	6	7	8	9	10	11	12	13		
Men's		5%	8%	18%	25%	23%	15%	6%		
Women's	10%	23%	35%	22%	10%					
Youth Boots	8	9	10	11	12	13	1	2	3	4
Children's	7%	8%	11%	14%	15%	15%	15%	15%		
Boy's									18%	18%
									26%	38%
Helmets										
	2XS	XS	S	M	L	XL	2XL	3XL		
TXi / PFP	2%	2%	11%	24%	30%	19%	9%	3%		
MX			4%	15%	41%	30%	10%			
Youth				42%	58%					
Gloves										
	XS	S	M	L	XL	2XL	3XL			
Adult	2%	6%	17%	32%	30%	11%	2%			
Youth		15%	30%	35%	20%					
Sportswear										
	S	M	L	XL	2XL					
Adult Shirts	5%	15%	35%	30%	15%					
	6-8	10-12	14-16							
Youth Shirts	27%	33%	40%							

Accessory Bag Dimensions

Ref	p/n	Description		Length	Width/Depth	Height
97	6639-183	Tunnel Pack		15"	12"	4"
97	5639-573	Tunnel Pack		13"	13"	7"
97	5639-433	Tunnel Pack		24"	15"	6"
97	6639-048	Tunnel Gear Bag		22"	12"	7"
97	5639-574	Tunnel Gear Bag		20"	12"	8"
97	6639-049	Tunnel Cargo Bag	Main Side	20" 21"	12" 5"	5" 10"
98	6639-050	Saddlebags		18"	6"	10"
98	6639-046	Seat Pocket		7"	7"	3"
98	6639-047	Seat Pack		14"	14"	9"
98	5639-767	Goggle Holder		9"	6"	4"
98	5606-171	Touring Gear Bag		19"	13"	9"
98	4639-712	Touring Saddlebags		22"	7"	12"
99	5639-712	Windshield Bag		9"	14"	4"
99	6639-051	Windshield Bag		10"	25"	6"
99	4639-714	Windshield Bag		23"	10"	6"
99	5639-304	Windshield Bag		24"	12"	6"
99	4639-428	Windshield Bag		26"	3"	5"
99	6639-097	Hood Packs		8"	5"	5"
99	5639-708	Handlebar Bag		7"	10"	5"
99	5639-709	Handlebar Bag		7"	10"	8"
99	5639-434	Handlebar Bag		6"	7"	7"
99	5639-041	Custom Handlebar Bag		8"	4"	6"
119	5639-710	Mountain Pack		9"	14"	6"
119	5639-711	Mountain Gear Bag		18"	14"	8"
120	4639-732	Goggle Holder		10"	3"	6"
127	5639-049	Bearcat Gear Bag		31"	17"	15"
127	6606-252	Tunnel Pack		14"	17"	10"
17	3639-715	Windshield Bag		38"	5"	7"
17	3639-962	Windshield Bag		13"	3"	7"
18	6639-112	Crosstour Rack Bag		11"	15"	10"
18	4639-445	Saddlebags		20"	6"	11"
19	5639-301	Seat Pack	Main	9"	13"	8"
19	6639-200	Tank Bag		18"	7"	12"
19	4639-426	Tank Bag		13"	9"	10"
19	5639-305	Underhood Bag		9"	21"	9"
19	4639-427	Windshield Flair Bags		4"	11"	3"
19	3639-722	Firecat Trunk Bag		10"	14"	7"
36	3639-725	Mountain Pack		9"	12"	7"
36	5639-044	Mountain Gear Bag		14"	20"	9"
36	4639-727	Mountain Gear Bag	Main	17"	16"	8"
			Side	10"	4"	7"
36	5639-043	Mountain Seat Bag		12"	16"	9"

Kit Installation Times

Ref	p/n	Description	Labor (min.)
21	5639-347, 348	Tunnel Rails	25
21	5639-717	2-Up Seat	30
21	5639-307	2-up Seat	20
21	5639-308	2-up Seat	15
21	5639-150	2-up Seat	20
21	4639-451	2-up Seat	60
21	5639-850, 851, 852, 6639-094	Sport Bumper	10
21	5639-825, 826, 827	Sport Bumper	20
21	5639-622, 623, 624	Sport Bumper	20
21	5639-065	Sport Bumper	15
21	5639-312	Touring Bumper	20
22	6639-053, 054, 055, 056	Pro Bumper	30
22	5639-718, 719, 720, 6639-158	ProCross Rack	15
22	6639-057, 058, 059, 060	Cargo Rack	5
22	5639-157	Crossfire Rack	15
22	5639-315	Sport Rack	10
23	5639-316, 317	Touring Rack	20
23	6639-181	Hitch Kit	40
23	6639-061	Hitch Kit	40
23	6639-182	Hitch Kit	40
23	6639-062	Hitch Kit	40
23	6639-098	Hitch Kit	15
23	6639-087	Hitch Kit	40
23	5639-724	Hitch Kit	40
23	5639-318	Hitch Kit	30
23	5639-319	Hitch Kit	30
23	5639-158	Hitch Kit	30
23	5639-159	Hitch Kit	30
23	5639-166	Hitch Kit	30
23	4639-723	Hitch Kit	25
23	4639-907	Hitch Kit	25
23	5639-202	Hitch Kit	30
23	4639-966	Hitch Kit	30
23	4639-452	Hitch Kit	20
23	2639-686	Hitch Kit	25
23	1639-607	Hitch Kit	30
23	1639-507	Hitch Kit	25
23	5639-725	Tow Hitch	15
23	5639-324	Tow Hitch	25
23	4639-124	Tow Hitch	25
23	1639-505	Tow Hitch	25
23	3639-189	Pintle Conversion	5
23	5639-859, 860	Tether Switch	40
23	4639-140	Tether Switch	30
23	4639-784	Tether Switch	30
23	5639-523	Tether Switch	40
23	4639-785	Tether Switch	40
23	0638-887	Tether Switch	40
24	4639-971	Heated Seat	45
24	5639-828, 829	Heated Seat	60
24	5639-858	DC Power	20
24	5639-258	DC Power	25
24	6639-157	Electric Start	180
24	5639-646	Electric Start	190
24	5639-198	Electric Start	190
24	4639-803	Electric Start	120
24	5639-321	Electric Start	190
24	4639-782	Electric Start	190
24	5639-531	Remote Start	60
24	5639-861	Engine Heater	45

Ref	p/n	Description	Labor (min.)
24	5639-823	Engine Heater	45
24	0638-188	Engine Heater	30
27	5639-729	Fox Float 2, Ski Shock	15
27	6639-088	Fox Float 2, Ski Shock	15
27	5639-730	Fox Float 2, Ski Shock	15
27	5639-583	Fox Float 2, Ski Shock	15
27	5639-584	Fox Float 2, Ski Shock	15
27	5639-585	Fox Float 2, Ski Shock	15
27	5639-731	Fox Float Evol, Ski Shock	15
27	6639-089	Fox Float Evol, Ski Shock	15
27	5639-732	Fox Float Evol, Ski Shock	15
27	5639-733	Fox Float R Evol, Ski Shock	15
27	6639-090	Fox Float R Evol, Ski Shock	15
27	5639-734	Fox Float R Evol, Ski Shock	15
27	5639-587	Fox Float R Evol, Ski Shock	15
27	5639-588	Fox Float R Evol, Ski Shock	15
27	5639-589	Fox Float R Evol, Ski Shock	15
27	5639-735	Fox Float X Evol, Ski Shock	15
27	5639-625	Fox Float X Evol, Ski Shock	15
27	5639-750	Fox Float 2, Rear Arm Shock	15
28	6639-063, 064, 065, 066,	Hood Graphics	30
28	5639-918, 919, 920, 921	Hood Graphics	30
28	6639-067, 068, 092, 093	Tunnel Graphics	20
28	5639-922, 923, 928, 929	Tunnel Graphics	20
28	6639-069, 070	Pink Accessory	40
28	5639-727, 728	Pink Accessory	40
28	5639-806	Pink Accessory	40
28	5639-838	Pink Accessory	60
33	5639-745, 746, 747, 748	Skid Plate, Front	10
33	6639-113, 114, 115, 116	Skid Plate, Rear	40
33	5639-893, 894, 895, 896	Skid Plate, Rear	40
33	4639-567	Skid Plate	30
33	3639-838, 839	Skid Plate	30
33	4639-564, 5639-582	Skid Plate	30
34	5639-898	Hood Flares	10
34	5639-809	Tunnel Flares	10
34	5639-892	Hood-Mounted Mirrors	30
35	5639-611	Toe Hold	20
37	5639-597, 598	Billet Rack	10
37	6639-159, 5639-773, 774, 775	ProClimb Rack.	15
37	4639-975, 976, 977	M Series Rack	10
37	5639-600, 601, 602	Mountain Seat	10
39	5639-897	Ice Scratchers	10
39	5639-580	Switch Guards	5
39	5639-945	Vertical Steering Post	90
40	5639-813	Telescopic Steering Post	70
40	5639-516	Telescopic Steering Post	40
40	5639-938, 939, 940	Narrow A-Arms	90
41	4639-995	Lightweight Front Axle	60
41	5639-528	Four Wheel Kit	25
41	4639-997	Two Wheel Kit	20
41	5639-107	Tunnel Flares	10
42	5639-389	Backup Light	35
42	5639-062	Cargo Rack	15
42	5639-060, 061	Side Rails	5
43	5639-803	Light Bar	20
43	5639-871	Strobe Light	20
43	5639-340	Receiver Winch	35
43	5639-456	Rear Harness	60
43	5639-457	Transport Mount	10

Ref	p/n	Description	Labor (min.)
44	5639-339	Receiver Bumper - Rear	30
44	5639-338	Receiver Bumper - Front	40
44	5639-386	Hitch	5
44	5639-387	Pivot Hitch Conversion	5
44	5639-254	Ski Skins	15
45	4639-970	Passenger Handwarmers	40
45	4639-802	Passenger Handwarmers	40
45	5639-341	Snow Plow Push Frame	25
45	0436-296	Snow Plow Blade	20
45	4639-967	Radiator, Under Seat	90
45	6639-180	Radiator, Front	60
45	6639-190	Gear Set, Low Ratio	50
55	6639-075, 118	Tunnel Protector	30
55	6639-178, 179	Tunnel Protector	30

■NOTE: The above information is intended for use as a guideline when quoting installation time for customers. Variables may cause installation time to be higher or lower. The times listed are not labor rates to be reimbursed to dealers.

Covers



Page 94

PREMIUM COVERS

Trailerable

Application

	p/n
(A) '12-'13 F 800, F 1100 (Inc Turbo) - Green	6639-002
(A) '12-'13 F 800, F 1100 (Inc Turbo) - Orange	6639-003
(A) '12-'13 XF 800, XF 1100 (Inc Turbo) - Green	6639-004
(A) '12-'13 XF 800, XF 1100 (Inc Turbo) - Orange	6639-005
(A) '12-'13 M 800, M 1100, XF HC (Inc Turbo) - Green	6639-006
(A) '12-'13 M 800, M 1100, XF HC (Inc Turbo) - Orange	6639-007
(B) '12-'13 F5, F570; '07-'11 F Series; '09-'11 Z1, Z1 Turbo	6639-008
(B) '08-'13 T570, TZ1, TZ1 LXR Touring; '09-'13 Bearcat 570	6639-009
(C) '12-'13 F 800, F 1100 (Inc Turbo)	6639-010
(C) '12-'13 XF 800, XF 1100 (Inc Turbo)	6639-011
(C) '12-'13 M 800, M 1100, XF HC (Inc Turbo)	6639-012



Page 95

ARCTIC CAT CANVAS COVERS

Trailerable

Application

	p/n
(D) '12-'13 F5, F570; '07-'11 F Series; '09-'11 Z1, Z1 Turbo	6639-013
(D) '12-'13 F 800, F 1100 (Inc Turbo)	6639-014
(D) '12-'13 XF 800, XF 1100 (Inc Turbo)	6639-016
(D) '12-'13 F 800, F 1100, XF 800, XF 1100 (Inc Turbo) w/2-Up Seat	6639-017
(D) '12-'13 M 800, M 1100, XF HC (Inc Turbo)	6639-018
(D) '00-'13 120	6639-021
(E) '08-'13 T570, TZ1, TZ1 LXR Touring; '09-'13 Bearcat 570	6639-019
(E) '09-'13 Bearcat 570 XT, Bearcat Z1 XT; '12-'13 Beracat Z1 XT GS	6639-020

■NOTE: Bearcat Z1 XT GS model requires removal of light bar before installing cover.



Page 95

TEAM ARCTIC CANVAS COVERS

Trailerable

Application

	p/n
'12-'13 F 800, F 1100 (inc Turbo)	6639-042
'10-'13 Sno Pro 500	6639-043



Page 96

CUSTOM COVERS (NON-CURRENT)

Trailerable

Application

	p/n
'03-'06 128"	5639-017

'99-'06 121"

Cougar, EXT, T660, Thundercat, Z, ZL, ZR, ZRT	5639-018
---	----------

'05-'08 M Series

M Series 153"-162"	5639-241
--------------------	----------

'02-'04 Mountain

King Cat, Mountain Cat, Powder Special	5639-019
--	----------

'00-'06 2-Up Touring

Panther, Pantera, T660 Touring	5639-020
--------------------------------	----------

'03-'08 Bearcat W/T

Bearcat W/T	5639-021
-------------	----------

'06-'11 Crossfire, CFR

'06-'11 Crossfire; '06-'07 M Series 141"	6639-044
--	----------

'06-'11 CFR

'06-'11 CFR	6639-045
-------------	----------

'06-'11 Crossfire w/2-Up Seat

'06-'11 Crossfire w/2-Up Seat	5639-283
-------------------------------	----------

'07-'13 F-Series w/2-Up Seat

'12-'13 F5, F570; '07-'11 F Series; '09-'11 Z1, Z1 Turbo	5639-286
--	----------

'10-'11 EXT

'10-'11 Z1 Turbo EXT; '11 F8 EXT	5639-547
----------------------------------	----------



Page 96

DUST COVER

Not Trailerable

Application

	p/n
121-in.-128-in.	5639-705
136-in.-162-in. Mountain	5639-706
2-Up Touring	5639-716

LATE RELEASE
AVAILABLE MID-SEASON



HALF COVER

Not Trailerable

Application

	p/n
'12-'13 F, M, XF	6639-202



Page 96

UNDERCOVER LINER

Application

	p/n
Universal	5639-570




REPLACEMENT COVER STRAPS

Description

	p/n
(A) Sew-On Straps w/Buckles (Pkg 4)	0636-610
(B) Cinch Straps w/Hook (Pkg 4)	0636-527

Touring Bags



Page 97

TUNNEL PACK


Application	p/n
(A)'12-'13 F 800, F 1100, F 1100 Turbo, M 800, M 800 HCR, M 1100, M 1100 Turbo, M 1100 Turbo HCR, XF 800, XF 800 HC, XF 1100, XF 1100 Turbo, XF 1100 Turbo HC	6639-183
(B)'12-'13 F5, F570; '07-'11 F Series, '10-'11 Z1, Z1 Turbo, Z1 Turbo EXT; '11 F8 EXT	5639-573
(C)'10-'13 Sno Pro 500, '10-'11 M Series	5639-433
Replacement Hardware	
Repl Spool w/Rivet, Pair (6639-183)	6639-154
Repl Front Clip, Pair (6639-183)	6639-155
Repl Strap w/Hook, Pk/4 (5639-433, 5639-573)	0641-994
Repl Cam Buckle, Pair (5639-573)	0639-089



Page 97

TUNNEL CARGO BAG

Application	p/n
'12-'13 F 800, F 1100, F 1100 Turbo, XF 800, XF 1100, XF 1100 Turbo	6639-049
Replacement Hardware	
Repl Spool w/Rivet, Pair	6639-154
Repl Front Clip, Pair	6639-155



Page 97

TUNNEL GEAR BAG

Application	p/n
(A)'12-'13 F 800, F 1100, F 1100 Turbo, XF 800, XF 1100, XF 1100 Turbo	6639-048
(B)'12-'13 F5, F570; '10-'11 F Series, M Series, Z1, Z1 Turbo, Z1 Turbo EXT; '11 F8 EXT	5639-574
Replacement Hardware	
Repl Spool w/Rivet, Pair (6639-048)	6639-154
Repl Front Clip, Pair (6639-048)	6639-155
Repl Ladder Lock, Pair (6639-048)	6639-156
Repl Strap w/Hook, Pk/4 (6639-048, 5639-574)	0641-994
Repl Cam Buckle, Pair (5639-574)	0639-089



Page 98

SADDLEBAGS

Application	p/n
12-'13 F 800, F 1100, F 1100 Turbo, XF 800, XF 1100, XF 1100 Turbo	6639-050
Replacement Hardware	
Repl Spool w/Rivet, Pair	6639-154
Repl Front Clip, Pair	6639-155



Page 98

SEAT POCKET

Application	p/n
'12-'13 F 800, M 800, XF 800 w/o Battery	6639-046



Page 98

SEAT PACK

Application

'12-'13 F 800, F 1100, F 1100 Turbo, M 800, M 800 HCR, M 1100, M 1100 Turbo, M 1100 Turbo HCR, XF 800, XF 800 HC, XF 1100, XF 1100 Turbo, XF 1100 Turbo HC

p/n

6639-047

Replacement Hardware

Repl Spool w/Rivet, Pair
Repl Front Clip, Pair
Repl Ladder Lock, Pair
Repl Strap w/Hook, Pk/4

p/n

6639-154
6639-155
6639-156
0641-994

p/n 5639-712



p/n 6639-051



p/n 4639-714



p/n 3639-715



p/n 3639-962



p/n 4639-428



Page 98

GOGGLE HOLDER

Application

'12-'13 F 800, F 1100, F 1100 Turbo, M 800, M 800 HCR, M 1100, M 1100 Turbo, M 1100 Turbo HCR, XF 800, XF 800 HC, XF 1100, XF 1100 Turbo, XF 1100 Turbo HC

p/n

5639-767

Replacement Hardware

Latch Repair Kit

p/n

6639-076



Page 98

A. TOURING GEAR BAG

Application

'08-'13 T 570, TZ1 Touring; '09-'13 BC 570

p/n

5606-171

B. TOURING SADDLEBAGS

Application

'08-'13 T 570, TZ1 Touring; '09-'13 BC 570

p/n

4639-712

p/n 5639-712



p/n 6639-051

HOOD PACKS

Application

'12-'13 F 800, F 1100, F 1100 Turbo, M 800, M 800 HCR, M 1100, M 1100 Turbo, M 1100 Turbo HCR, XF 800, XF 800 HC, XF 1100, XF 1100 Turbo, XF 1100 Turbo HC

p/n


6639-097

Replacement Hardware

Plastic Rivets (Pk/6)

p/n

5639-930



Page 99

HANDLEBAR BAG

Application

	p/n
(A)'12-'13 F 800, F 1100, F 1100 Turbo; '08-'13 T570, TZ1 Touring; '12-'13 F5, F570; '07-'11 F Series, Z1	5639-708
(B)'12-'13 M 800, M 800 HCR, M 1100, M 1100 Turbo, M 1100 Turbo HCR, XF 800, XF 800 HC, XF 1100, XF 1100 Turbo, XF 1100 HC; '09-'13 BC 570, BC XT; '05-'11 M Series; '06-'11 CF	5639-709
(C)10-'13 Sno Pro 500	5639-434



Page 99

BAG HEATER KIT

Application

	p/n
Fits Handlebar Bags 5639-708, 5639-709	5639-837



Page 99

CUSTOM HANDLEBAR BAG

Application

Universal

p/n

5639-041



Page 100

SPORT MUFFS

Application

	p/n
(A) '12-'13 F 800, F 1100, F 1100 Turbo, M 800, M 800 HCR, M 1100, M 1100 Turbo, M 1100 Turbo HCR, XF 800, XF 800 HC, XF 1100, XF 1100 Turbo, XF 1100 HC	5639-714
(B) '07-'11 Models	5639-524



Page 101

PASSENGER HAND MUFFS

Application

'08-'13 T570, TZ1 Touring; '09-'13 BC 570, BC XT

p/n

5639-353



Page 101

HANDLEBAR MUFFS

Application

Universal

p/n

5639-713



CROSSTOUR RACK BAG

Application

'13 XF Crosstour

p/n

6639-112



SADDLEBAGS

Application

'07-'09 F Series; '09 Z1

p/n

4639-445

Replacement Hardware

1639-248

Repl Cam Buckle, Pair



SEAT PACK

Application

'12-'13 F5, F570; '07-'11 F Series, Z1, Z1 Turbo, Z1 Turbo EXT; '11 F8 EXT (Fixed or Adjustable Seat)

p/n

5639-301



TANK BAG

Application

(A) '12-'13 F, M, XF
(B) '12-'13 F5, F570; '07-'11 F Series; '08-'13 T 570, TZ1 Touring;
'09-'13 BC 570; '09-'11 Z1, Z1 Turbo

p/n

6639-200

4639-426



FIRECAT TRUNK BAG

Application

'03-'06 FC 128"

Replacement Hardware

Repl Cam Buckle, Pair

p/n

3639-722

1639-248



TANK JACKET

Application

'05-'11 M Series; '09-'11 M8 HCR
'06-'11 CF; '09-'11 CFR
Replacement Velcro (Pair)

p/n

5639-053

5639-056

4639-602



UNDERHOOD BAG

Application

'09-'13 TZ1 Touring; '09-'11 Z1 (Non-Turbo)

p/n

5639-305



WINDSHIELD FLAIR BAGS


Sold as a pair.

Application

'00-'06 ZR; '01-'04 MC; '01-'07 Z; '02-'05 PTA;
'04-'06 KC; '03-'08 BC 570, PA

p/n

4639-427




REPLACEMENT HARDWARE

Description

(A) Cam Buckle (Pair) - 1"
 (B) Cam Buckle (Pair) - 1-1/2"
 (C) Cam Buckle (Pair) - 2"
 (D) SR1 Buckle Kit (Pair)
 (E) Strap Hook (Pair)
 (F) Tunnel Clip - Black (Each)
 (G) Buckle Kit - Unisex Replacement (Pair)
 (H) Spool (Pair)
 (I) Bag Clip (Pair)
 (J) Ladder Lock (Pair)
 (K) Latch Repair Kit (5639-767)
 (L) Plastic Rivets (6/pk)

	p/n
(A) Cam Buckle (Pair) - 1"	0639-089
(B) Cam Buckle (Pair) - 1-1/2"	1639-248
(C) Cam Buckle (Pair) - 2"	2639-152
(D) SR1 Buckle Kit (Pair)	0638-082
(E) Strap Hook (Pair)	0641-485
(F) Tunnel Clip - Black (Each)	6606-244
(G) Buckle Kit - Unisex Replacement (Pair)	2639-662
(H) Spool (Pair)	6639-154
(I) Bag Clip (Pair)	6639-155
(J) Ladder Lock (Pair)	6639-156
(K) Latch Repair Kit (5639-767)	6639-076
(L) Plastic Rivets (6/pk)	5639-930




FOAM BEVERAGE HOLDER

Description

Universal

	p/n
Universal	1639-599

Touring Accessories



Page 101

TUNNEL RAILS


Includes mounting pockets for 2-up seat and rack.

Application

'12-'13 F5, F570; '10-'11 F Series, Z1, Z1 Turbo
'10-'11 Z1 Turbo EXT; '11 F8 EXT

p/n

5639-347
5639-348




Page 102

SPORT BUMPER - ALUMINUM

Application

	Color	p/n
(A)'12-'13 F 800, F 1100, M 800, M 800 HCR, M 1100, XF 800, XF 800 HC, XF 1100	Black	5639-850
	Green	5639-851
	Orange	5639-852
	White	6639-094
(B)'12-'13 F5, F570; '08-'13 T570, TZ1 Touring; '09-'12 BC 570; '09-'11 Z1, Z1 Turbo; '07-'11 F Series	Black	5639-825
	Green	5639-826
	Orange	5639-827
(C)'05-'11 M SERIES; '06-'11 CF; '09-'11 CFR, M8 HCR	Black	5639-622
	Green	5639-623
	Orange	5639-624
(D)'10-'13 Sno Pro 500	Green	5639-065
(E)'12 Sno Pro 600	Black	5639-994



Page 101

2-UP SEAT KIT

■Note: The 2013 XF Crosstour has a standard hitch with the mounting pockets required for the 2-Up Seat

Application

(A)'12-'13 F 800, F 1100, F 1100 Turbo, XF 800, XF 1100, XF 1100 Turbo (Requires Hitch Kit) '13 XF Crosstour	5639-717
(B)'12-'13 F5, F570; '10-'11 F Series, '10-'11 Z1, Z1 Turbo, Z1 Turbo EXT; '11 F8 EXT (Requires Tunnel Rails)	5639-307
(C)'09-'11 CF, CFR (Requires Hitch Kit with mounting pockets) - will accept rear rack or rear bag	5639-308
(D)'09 F Series (Liquid-Cooled), Z1, Z1 Turbo	5639-150
(D)'07-'08 F Series (Liquid-Cooled), JR	4639-451



Page 102

TOURING BUMPER - STEEL

■NOTE: Top tube interferes with hood removal on turbo models.

Application

	Color	p/n
'12-'13 F5, F570; '08-'13 T570, TZ1 Touring; '09-'13 BC 570; '09-'11 Z1 (Non-Turbo); '07-'11 F Series	Black	5639-312



PRO BUMPER

Application

'12-'13 F 800, F 1100, F 1100 Turbo, M 800, M 800 HCR, M 1100, M 1100 Turbo, M 1100 Turbo HCR, XF 800, XF 800 HC, XF 1100, XF 1100 Turbo, XF 1100 Turbo HC

Color p/n

Unptd	6639-053
Black	6639-054
Green	6639-055
Orange	6639-056



Page 103

PROCROSS RACK

8" x 11½" W

Application

'12 F 800, F 1100, F 1100 Turbo, XF 800, XF 1100, XF 1100 Turbo

Color p/n

Black	6639-158
Green	5639-718
Orange	5639-719
Silver	5639-720



PROCLIMB RACK

8" x 11½" W

Application

'12-'13 M 800, M 800 HCR, M 1100, M 1100 Turbo, M 1100 Turbo HCR, XF 800 HC, XF 1100 Turbo HC; '13 F 800, F 1100, F 1100 Turbo, XF 800, XF 1100, XF 1100 Turbo

Color p/n

Black	6639-159
Green	5639-773
Orange	5639-774
Silver	5639-775



Page 103

CARGO RACK

Requires Hitch Kit with eight mounting pockets. 11" x 14" W

Application

'12-'13 F 800, F 1100, F 1100 Turbo XF 800, XF 800 HC, XF 1100, XF 1100 Turbo, XF 1100 Turbo HC, M 153"

Color p/n

Black	6639-057
Green	6639-058
Orange	6639-059
Silver	6639-060

Rack Bag (See page 18)

6639-112



CROSSFIRE RACK

Requires Hitch Kit with mounting pockets.

Application

'09-'11 CF, CFR

Color p/n

Unpainted 5639-157



SPORT RACK

Mounts directly to the tunnel, or quick-attach to Tunnel Rails.

Application

'12-'13 F5, F570; '10-'11 F Series, Z1, Z1 Turbo, Z1 Turbo EXT; '11 F8 EXT

Color p/n

Unpainted 5639-315



TOURING RACK

Application
'08-'13 T570, TZ1 Touring; '09-'13 BC 570

Style	p/n
(A) Short	5639-316
(B) Long	5639-317



Page 103

HITCH KITS - PIVOT STYLE

Hitch Kits with eight mounting pockets will accept both a 2-Up Seat and a Cargo Rack

Application

'13 F 800, F 1100, F 1100 Turbo 129" (Inc 8 Mounting Pockets)	6639-181
'12 F 800, F 1100, F 1100 Turbo 128" (Inc 8 Mounting Pockets)	6639-061
'13 XF 800, XF 1100, XF 1100 Turbo 141" (Inc 8 Mounting Pockets)	6639-182
'12 XF 800, XF 1100, XF 1100 Turbo 141" (Inc 8 Mounting Pockets)	6639-062
'13 XF Crosstour (Hitch Components Only)	6639-098
'12-'13 M 800, M 800 HCR, M 1100, M 1100 Turbo, XF 800 HC, XF 1100 Turbo HC 153" (Inc 8 Mounting Pockets)	6639-087
'12-'13 M 800, M 1100 Turbo, M 1100 Turbo HCR 162"	5639-724
'12-'13 F5, F570; '10-'11 F Series, Z1, Z1 Turbo 128"	5639-318
'10-'11 Z1 Turbo EXT; '11 F8 EXT 144"	5639-319
'09-'11 M Series; '10 M8 HCR 153"	5639-158
'09-'11 M Series 162"; '11 M8 HCR 153"	5639-159
'09-'11 CF 141" (Inc 8 Mounting Pockets)	5639-166
'08-'13 T570, TZ1 Touring	4639-723
'09-'11 CFR 128" (Inc 8 Mounting Pockets)	5639-202
'09 F Series, Z1, Z1 Turbo 128"	4639-966
'07-'08 JR; '07-'08 F Series (Liquid-Cooled)	4639-452
'03-'06 FC; '04-'06 SC 128" & 144"	2639-686
'00-'05 PTA; '04-'07 T660 Touring	1639-607
'99-'02 PA; '99-'06 121" Models; '07 Z, T660 Trail	1639-507

HITCH KIT PINTLE

Application
'08-'13 T570, TZ1 Touring

p/n
4639-907



Page 103

PINTLE CONVERSION KIT

Application
Fits Pivot-Style Hitch Kits

p/n
3639-189



Page 103

TOW HITCH

Light duty use.

Application	p/n
(A)'12-'13 F 800, F 1100, F 1100 Turbo, M 800, M 800 HCR, M 1100, M 1100 Turbo, M 1100 Turbo HCR, XF 800, XF 800 HC, XF 1100, XF 1100 Turbo, XF 1100 Turbo HC	5639-725
(B)'12-'13 F5, F570; '09-'11 CF, CFR, M Series; '10-'11 F Series, Z1, Z1 Turbo, Z1 Turbo EXT; '11 F8 EXT	5639-324
(C)'05-'08 M Series; '06-'08 CF	4639-124
(D)'99-06 121-in. Models; '07 Z, T660 Trail	1639-505



Page 104

TETHER SWITCH

Application	p/n
'12-'13 F 800, M 800, XF 800, XF 800 HC	5639-859
'12-'13 F 1100, F 1100 Turbo, M 1100, M 1100 Turbo, XF 1100, XF 1100 Turbo, XF 1100 Turbo HC	5639-860
'07-'11 F Series Std & Sno Pro; '08-'11 CF, M Series; '09-'11 CFR; '99-'07 Normally Open Circuits	4639-140
'07-'11 F LXR; '07-'12 T570	4639-784
'10-'11 Z1; '10-'13 TZ1, BC Z1 XT	5639-523
'08-'09 TZ1; '09 Z1, BC Z1 XT (Inc Turbo) Normally Closed Circuits	4639-785 0638-887
Replacement Tether Cord	0709-055



Page 104

HEATED SEAT KIT

■ NOTE: Not available for 2-stroke - power output insufficient.

Application

'12-'13 F 1100, F 1100 Turbo, XF 1100, XF 1100 Turbo	p/n	5639-828
'12-'13 M 1100, M 1100 Turbo		5639-829
'09-'13 BC Z1 XT (Driver & Passenger)		4639-971
'11-'13 BC Z1 XT LTD (Passenger Only)		5639-638

	p/n
	5639-828
	5639-829
	4639-971
	5639-638

REMOTE START KIT

Application

'08-'13 TZ1 Touring; '09-'13 BC Z1 XT, '09-'11 Z1, Z1 Turbo	p/n	5639-531
---	-----	----------

Replacement Transmitter

All Production and Accessory Remote Start Kits

(A) 2 Button	0630-146
(B) 3 Button	0630-187

Replacement Battery A23S 12V (purchase locally)

■ NOTE: For programming instructions, please visit Cat Tracker Online.



Page 104

DC POWER KIT

Application

'12-'13 F 800, M 800, XF 800, XF 800 HC	p/n	5639-858
'09-'11 CF, CFR, M Series 800, 1000		5639-258

	p/n
	5639-858

Page 104

ENGINE HEATER

Application

'12-'13 F 1100, F 1100 Turbo, M 1100, M 1100 Turbo, XF 1100, XF 1100 Turbo	p/n	5639-861
'07-'13 TZ1; '09-'13 BC Z1 XT, TZ1 Turbo; '07-'11 Z1, Z1 Turbo		5639-823
'99-'07 LC Models Except CF, F, FC, JR, M, SC, 4-Stroke		0638-188

BATTERIES



Page 104

ELECTRIC START KIT

For replacement parts, see appropriate parts manual.

Application


'12-'13 F 800, M 800, XF 800	p/n	6639-157
'11 F Series 800		5639-646
'09-'10 F Series 800, 1000		5639-198
'08-'11 CF, M Series 500, 600		4639-803
'10 BC 570		5639-321
'08-'11 F Series 500, 600		4639-782





	p/n
	6639-157
	5639-646
	5639-198
	4639-803
	5639-321
	4639-782

	Z1, Z1 Turbo
	'09-'11 0645-480

Application

	Year	p/n
BC 570	'09-'13	0745-047
	'04-'08	0745-059
BC 570 XT	'09-'13	0745-047
BC Z1 XT	'09-'13	0645-480
CF 500	'07-'09	0645-480
CF 600	'06-'11	0645-480
F5	'07-'13	0745-047
F570	'08-'13	0745-047
F6	'07-'11	0745-047
F8, F 1000	'07-'11	0645-480
F 800	'12-'13	0645-480
F 1100, F 1100 Turbo	'12-'13	0645-480
M 800	'12-'13	0645-480
M 1100, M 1100 Turbo	'12-'13	0645-480
M6	'05-'11	0645-480
T500	'08-'09	0745-047
T570	'08-'13	0745-047
TZ1 Touring	'08-'13	0645-480
TZ1 Turbo Touring	'09-'13	0645-480
XF 800	'12-'13	0645-480
XF 1100, XF 1100 Turbo	'12-'13	0645-480
Z1, Z1 Turbo	'09-'11	0645-480





Measurements are taken vertically from dash panel to top of windscreens. Style illustrations apply to indicated models only. Use reference point to determine style of windscreens to order. Style of windscreens for all other models is determined by measuring upward from lowest front center point on windscreens to top center point. Accessory windshields do not have pre-drilled mirror mounting holes.



Page 107


A. WINDSHIELD BRACE KIT

Application

Turbo Low/Mid Windshield (5639-142, 6606-274)
Turbo High Windshield (5639-154)
Extreme High Windshield (5639-222)

p/n

5639-518
5639-455
5639-628



Page 106

SIDE DEFLECTORS

Application

'12-'13 F, M, XF Accessory Flyscreens and Low Windscreens

p/n

5639-785

B. WINDSHIELD MOUNTING RING

Description

Universal (Each)

p/n

2606-853

Custom Accessories



Page 109

A. FOX FLOAT 2

Sold in pairs. Includes 150 psi pump.

Application	p/n
'12-'13 F 800, F 1100, F 1100 Turbo, XF 800, XF 1100, XF 1100 Turbo (42" Ski Stance)	5639-729
'13 M 800, M 1100, M 1100 Turbo (38" Ski Stance)	6639-088
'12 M 800, M 1100, M 1100 Turbo (40" Ski Stance)	5639-730
'12-'13 F5, F570; '07-'11 F Series; '09-'11 Z1, Z1 Turbo, Z1 Turbo EXT	5639-583
'05-'11 M Series	5639-584
'06-'11 CF; '09-'11 CFR	5639-585

B. FOX FLOAT EVO

Sold in pairs. Includes 300 psi pump.

Application	p/n
'12-'13 F 800, F 1100, F 1100 Turbo, XF 800, XF 1100, XF 1100 Turbo (42" Ski Stance)	5639-731
'13 M 800, M 1100, M 1100 Turbo (38" Ski Stance)	6639-089
'12 M 800, M 1100, M 1100 Turbo (40" Ski Stance)	5639-732

C. FOX FLOAT R EVO

Sold in pairs. Includes 300 psi pump.

Application	p/n
'12-'13 F 800, F 1100, F 1100 Turbo, XF 800, XF 1100, XF 1100 Turbo, M 800 HCR (42" Ski Stance)	5639-733
'13 M 800, M 1100, M 1100 Turbo, M 1100 Turbo HCR (38" Ski Stance)	6639-090
'12 M 800, M 1100, M 1100 Turbo, M 1100 Turbo HCR (40" Ski Stance)	5639-734
'12-'13 F5, F570; '07-'11 F Series; '09-'11 Z1, Z1 Turbo, Z1 Turbo EXT	5639-587
'05-'11 M Series	5639-588
'06-'11 CF; '09-'11 CFR	5639-589

D. FOX FLOAT X EVO

Sold in pairs. Includes 300 psi pump.

Application	p/n
'12-'13 F 800, F 1100, F 1100 Turbo, XF 800, XF 1100, XF 1100 Turbo, M 800 HCR (42" Ski Stance) XC Valving	5639-735
'10-'13 Sno Pro 500 - XC Valving	5639-625



Page 109

FOX FLOAT 2 REAR ARM

Application	p/n
'12-'13 M 800, M 1100, M 1100 Turbo, XF 800, XF 1100, XF 1100 Turbo; '08-'11 M Series	5639-750



AIRSHOX PUMP

Application	p/n
(A) Single Gauge 150 PSI (Float, Float 2)	2603-614
(B) Single Gauge 300 PSI (Float Evol, Float R Evol, Float X Evol)	0641-257


Note: Fox has made a running change to pump 0641-257. It is now a single-gauge 300 psi pump. The previous version was a dual-gauge 100 psi, 300 psi.



Page 109

AIRSHOX GUARDS

Description	Color	p/n
Fox Float 2, Float Evol, Float R Evol	Black	6639-080
	Green	6639-081
	Orange	6639-082
	White	6639-083



Page 110

GRAPHIC KITS

Includes RH & LH Graphics. Fits all '12-'13 F, M, and XF models.

Hood Graphics

	p/n
(A) Sabertooth '13 - Green	6639-065
(A) Sabertooth '13 - Orange	6639-066
(B) Sabertooth '12 - Green	5639-918
(B) Sabertooth '12 - Orange	5639-919
(C) Arctic Cat - Green	6639-063
(C) Arctic Cat - Orange	6639-064
(D) Team Arctic - Green	5639-920
(D) Team Arctic - Orange	5639-921

Tunnel Graphics

	p/n
(E) Arctic Cat - Green	6639-092
(E) Arctic Cat - Orange	6639-093
(F) Arctic Cat - Green	5639-922
(F) Arctic Cat - Orange	5639-923
(G) Sno Pro - Green	6639-067
(G) Sno Pro - Orange	6639-068
(H) Sno Pro - Green	5639-928
(H) Sno Pro - Orange	5639-929




Page 111

PINK ACCESSORY KITS

■ NOTE: Application specifies LXR "Black" models. Kits will also fit Green and Orange models but additional components will be required.

Application	p/n
'13 F 800 LXR, F 1100 LXR (Black)	6639-069
'13 XF 800 LXR, XF 1100 LXR (Black)	6639-070
'12 F 800 LXR, F 1100 LXR (Black)	5639-727
'12 XF 800 LXR, XF 1100 LXR (Black)	5639-728
'12 F570	5639-806
'12 F5 LXR	5639-838




Page 112

A. SUSPENSION BLOCKS

Application	p/n
Universal	
Black (Pair)	4639-853
Silver (Pair)	4639-855

B. RECOIL HANDLE

Application	p/n
Universal	
Black	5639-452
Silver	5639-454



Page 112

SNO PRO LEVER

Description	Color	p/n
(A) '12-'13 F 800, F 1100, F 1100 Turbo, M 800, M 800 HCR, M 1100, M 1100 Turbo, M 1100 Turbo HCR, XF 800, XF 800 HC, XF 1100, XF 1100 Turbo, XF 1100 Turbo HC; '12 Sno Pro 600	Black	5639-924
	Silver	5639-925
(B) '10-'13 Sno Pro 500	Black	5639-619
	Silver	5639-620



Page 112

BRAKE LEVER

Description	Color	p/n
(A) '12-'13 F 800, F 1100, F 1100 Turbo, M 800, M 800 HCR, M 1100, M 1100 Turbo, M 1100 Turbo HCR, XF 800, XF 800 HC, XF 1100, XF 1100 Turbo, XF 1100 Turbo HC; '12 Sno Pro 600	Black	5639-736
	Silver	5639-737
(B) '12-'13 F5, F570; '07-'11 Models (Excludes Sno Pro 500)	Black	5639-505
	Silver	5639-506



Page 112

AXLE WASHERS

Application	Color	p/n
'12-'13 F 800, F 1100, F 1100 Turbo, M 800, M 800 HCR, M 1100, M 1100 Turbo, M 1100 Turbo HCR, XF 800, XF 800 HC, XF 1100, XF 1100 Turbo, XF 1100 Turbo HC; '09-'11 M Series, M8 HCR	Black	5639-591
	Silver	5639-592



Page 112

POD SCREWS - PAIR

Application	Color	p/n
'12-'13 F5, F570; '07-'11 F Series; '08-'13 T570, TZ1 Touring; '09-'13 BC 570; '09-'11 Z1, Z1 Turbo	Black	5639-593
	Silver	5639-594




Page 113

HANDLEBAR GRIPS

Two 8-in. black grips. Cut to length.

Description	p/n
Black (Pair)	5639-655

NOTE: Order Hand Guard Mounts to fit the specific model snowmobile. Then order Hand Guards to fit the mount style selected. Sno Pro Hand Guards fit mounts A, B, and C. Arctic Cat Hand Guards fit mounts D, E, and F.



HAND GUARD MOUNTS

Sold in pairs.

	'12-'13 F 800, F 1100 (Inc Turbo)	'12-'13 M 800, M 1100, XF 800, XF 1100 (Inc Turbo)	'10-'13 SP 500	'12 SP 600
--	---	--	-------------------	------------


	p/n	p/n	p/n	p/n
(A) Aluminum	5639-264		5639-264	5639-264
(B) Aluminum	6639-072		6639-072	6639-072
(C) Nylon	5639-763	5639-763		

	'12-'13 F5, F570 '09-'11 CFR '07-'11 F Series '09-'11 Z1, Z1 Turbo	'07-'11 CF '07-'11 M '09-'11 M8 HCR	'06 CF '05-'06 M '00-'02 ZR	'03-'06 FC '03-'06 ZR
--	--	--	-----------------------------------	--------------------------

	p/n	p/n	p/n
(A) Aluminum	5639-264		5639-264
(B) Aluminum	6639-072		6639-072
(C) Nylon	5639-763	5639-763	
(D) Aluminum	4639-805		4639-805
(E) Nylon	4639-804	4639-804	3639-077
(F) Universal			3639-858

Replacement Hardware

For p/n 4639-804	0641-987
For p/n 5639-264, 6639-072	0641-261
For p/n 5639-763	0641-258



Page 113

HAND GUARD EXTENSION

Sold in pairs. Black.

Application
Sno Pro Hand Guards

p/n
5639-263



Page 113

SNO PRO HAND GUARDS

Sold in pairs. Mounts sold separately. Requires low windshield.

Description	p/n
Black	5639-581
Green	5639-384
Orange	5639-261
White	5639-262

Fits Mounts A, B, C




Page 113

ARCTIC CAT HAND GUARDS

Sold in pairs. Mounts sold separately. Requires low windshield.

Description	p/n
Black	4639-806
Green	4639-807
Orange	4639-808

Fits Mounts D,E,F




Page 114

ARCTIC CAT SKI HANDLES

Sold in pairs.

Description	p/n
(A) '12 Arctic Cat Saddleless Skis	
Green	5639-743
Orange	5639-744
White	6639-095
(B) '05-'11 Arctic Cat Saddleless Skis	
Green	3639-777
Orange	3639-778
(C) Arctic Cat & Parabolic Skis	
Green	3639-781
Orange	3639-865



Page 114

ARCTIC CAT SADDLELESS SKIS

Includes 4" carbides. Fits all applications ('97 & Newer Models) except cast-aluminum spindle (see Universal Plastic Skis). Sold in pairs.

Description	p/n
(A) 6' Ski Kit (Standard Keel) - Mountain Ski	5639-877
(A) 6" Ski Kit (Competition Keel) - Mountain Ski	5639-878
(B) 8" Ski Kit - Black - Trail Ski	5639-323
(C) 6" Ski Kit - Black - Trail Ski	6639-206
Replacement Wearbars (See page 49, Ref A)	



Page 114

SLP POWDER PRO SKIS™

Wearbars sold separately. Fits all applications except cast-aluminum spindle (see Universal Plastic skis). Sold in pairs.

Description	p/n
'12-'13 F, M, XF	6639-091
'07-'11 Models; '12-'13 F5, F570	5639-326
Replacement Wearbars (See page 49, Ref D)	



C&A PRO ADX SKIS

Fits all applications except cast aluminum spindles. Includes mounting hardware. Wearbars sold separately (see Universal Plastic skis). Sold in pairs.

Description	p/n
'07-'11 Models	5639-603
Replacement Wearbars (See page 49, Ref E)	



BLOW-MOLDED SKIS

Includes 4" carbides. Fits all '09 and earlier applications except cast aluminum spindle (see Universal Plastic skis). Sold in pairs.

Description	p/n
5" Ski Kit - Black	1639-575
Replacement Wearbars (See page 49, Ref C)	



UNIVERSAL PLASTIC SKIS

Fits all '09 and earlier Arctic Cat independent front suspensions. Sold in pairs.

Description	p/n
Ski Kit - Black	0639-225
Replacement Wearbars (See page 49, Ref B)	

SNOW MESH

Hood mesh not for use on Fan-Cooled Models.

Application**p/n****Bumper (Coarse Mesh)**'12-'13 F 1100, F 1100 Turbo, M 1100, M 1100 Turbo, M 1100 Turbo HCR, 5639-836
XF 1100, XF 1100 Turbo, XF 1100 Turbo HC'12-'13 F5, F570; '10-'11 F Series; '08-'13 T570, TZ1 Touring; '09-'13 BC 5639-332
570; '09-'11 Z1

'09-'13 TZ1 Turbo Touring; '09-'11 Z1 Turbo 5639-352

'05-'11 M Series; '06-'11 CF; '09-'11 CFR, M8 HCR 5639-169

'09-'13 BC 570 XT, BC Z1 XT 5639-522

Hood (Coarse Mesh) (Liquid-Cooled Models)'12-'13 F 800, F 1100, M 800, M 800 HCR, M 1100, XF 800, XF 800 HC, 6639-106
XF 1100 - Center'12-'13 F 1100 Turbo, M 1100 Turbo, M 1100 Turbo HCR, XF 1100 Turbo, 6639-111
XF 1100 Turbo HC - Center, Removeable'12-'13 F 800, F 1100, F 1100 Turbo, M 800, M 800 HCR, M 1100, M 1100 5639-835
Turbo, M 1100 Turbo HCR, XF 800, XF 800 HC, XF 1100, XF 1100 Turbo,
XF 1100 Turbo HC - LH Side Panel'12-'13 F 800, F 1100, F 1100 Turbo, M 800, M 800 HCR, M 1100, M 1100 6639-197
Turbo, M 1100 Turbo HCR, XF 800, XF 800 HC, XF 1100, XF 1100 Turbo,
XF 1100 Turbo HC - RH Side Panel'12-'13 F5; '07-'11 F Series; '08-'13 TZ1 Touring; '09-'13 BC Z1 XT; '09-'11 5639-458
Z1 (Non-Turbo)

'05-'11 M Series; '06-'11 CF; '09-'11 CFR, M8 HCR 5639-333

'10-'13 Sno Pro 500 5639-396

'03-'06 FC, SC 5639-633













Intake (Fine Mesh)


'12-'13 F 800, F 1100, F 1000 Turbo, XF 800, XF 1100, XF 1100 Turbo 5639-947

'05-'11 M Series; '06-'11 CF; '09-'11 CFR, M8 HCR 5639-334

Side Panel, Rear (Coarse Mesh)

'09-'13 BC Z1 XT 5639-499

p/n 6639-106**p/n 6639-111****p/n 5639-522****p/n 5639-332****p/n 5639-352****p/n 5639-169****p/n 5639-333****p/n 5639-458****p/n 5639-396****p/n 5639-499****p/n 5639-836****p/n 5639-633****p/n 5639-835, 6639-197****p/n 5639-947**



Page 115

SKID PLATES

Application	p/n
(A) '12-'13 F 800, F 1100, M 800, M 800 HCR, M 1100, XF 800, XF 800 HC, XF 1100 Not for use on Turbo Models or with Sport and Pro Front Bumpers	
Black - Front	5639-745
Green - Front	5639-746
Orange - Front	5639-747
White - Front	5639-748
(B) '13 F 800, F 1100, F 1100 Turbo, M 800, M 800 HCR, M 1100, M 1100 Turbo, M 1100 Turbo HCR, XF 800, XF 800 HC, XF 1100, XF 1100 Turbo, XF 1100 Turbo HC	
Black - Rear	6639-113
Green - Rear	6639-114
Orange - Rear	6639-115
White - Rear	6639-116
Replacement Hardware	1641-007
(C) '12 F 800, F 1100, F 1100 Turbo, M 800, M 800 HCR, M 1100, M 1100 Turbo, M 1100 Turbo HCR, XF 800, XF 800 HC, XF 1100, XF 1100 Turbo, XF 1100 Turbo HC	
Black - Rear	5639-893
Green - Rear	5639-894
Orange - Rear	5639-895
White - Rear	5639-896
Replacement Hardware	1641-007
(D) '12-'13 F5, F570; '10-'11 F Series; '08-'13 T570, TZ1 Touring; '09-'11 Z1, Z1 Turbo; '10-'11 Z1 Turbo EXT; '11 F8 EXT	
NOTE: '10-'11 Z1 models require trimming for exhaust outlet.	
Black	4639-567
Replacement Hardware	4639-684
(E) '05-'11 M Series; '06-'11 CF; '09-'11 CFR, M8 HCR	
Black	3639-838
Green	3639-839
Orange	4639-564
White	5639-582
Replacement Hardware	0641-719
(F) '05-'11 M Series; '06-'11 CF; '09-'11 CFR, M8 HCR	
Black - Heavy-Duty	5639-223
(G) '00-'06 ZR; '01-'03 ZL; '01-'04 MC; '01-'08 Z; '04-'06 KC	
Black	1639-417
Replacement Hardware	0641-508

Page 115

GRIP PLATES - PAIR


Application	Color	p/n
'12-'13 F5, F570; '10-'11 F Series; '10-'11 Z1, Z1 Turbo, Z1 Turbo EXT; '11 F8 EXT	Black	5639-328
	Green	5639-329
	Orange	5639-330



Page 115

GRIPPER SEAT COVER

Application	p/n
'12-'13 F 800, F 1100, F 1100 Turbo, XF 800, XF 1100, XF 1100 Turbo	5639-845
'12-'13 M 800, M 800 HCR, M 1100, M 1100 Turbo, M 1100 Turbo HCR,	5639-846
XF 800 XC, XF 1100 Turbo HC	
'10-'13 Sno Pro 500	5639-667
'10-'11 M series, M8 HCR	5639-666



Page 115

TUNNEL GRIPS

Application	p/n
'12-'13 F 800, F 1100, F 1100 Turbo, M 800, M 800 HCR, M 1100, M 1100 Turbo, M 1100 Turbo HCR, XF 800, XF 800 HC, XF 1100, XF 1100 Turbo, XF 1100 Turbo HC	5639-839
Universal (Pair) 4.25" x 15.5"	5639-814



Page 116

HEADLIGHT COVERS

Not for use at night.

■NOTE: Some states and municipalities may have laws prohibiting the use of colored headlight covers. Please check state and local laws before using headlight covers. Arctic Cat Sales Inc. shall not be liable for any claims resulting from illegal use of headlight covers

Application	p/n
'12-'13 F 800, F 1100, F 1100 Turbo, M 800, M 800 HCR, M 1100, M 1100 Turbo, M 1100 Turbo HCR, XF 800, XF 800 HC, XF 1100, XF 1100 Turbo, XF 1100 Turbo HC	
Chrome	5639-753
Green Chrome	5639-754
Smoke	5639-755
'12-'13 F5, F570; '07-'11 F Series; '10-'11 Z1, Z1 Turbo, Z1 Turbo EXT; '11 F8 EXT	
Chrome	5639-756
Green Chrome	5639-757
Smoke	5639-758
'05-'11 M Series; '06-'11 CF; '09-'11 CFR, M8 HCR	
Chrome	5639-759
Green Chrome	5639-760
Smoke	5639-761
Replacement Velcro Dots (8 pc)	4639-625



Page 116

WEAR STRIPS

Sold individually.

Application

121-128"

Black	2604-257
Green	2604-819
Orange	2604-289
White	2604-543

136-162"

Black	2604-799
Green	2604-821
Orange	1604-769
White	3604-832



Page 116

SNOWFLAP

Application

'12 F 800, F 1100, F 1100 Turbo, XF 800, XF 1100, XF 1100 Turbo

Green	5639-840
Orange	5639-841

'12-'13 M 800, M 800 HCR, M 1100, M 1100 Turbo, M 1100 Turbo HCR, XF 800 HC, XF 1100 Turbo HC; '13 F 800, F 1100, F 1100 Turbo, XF 800, XF 1100, XF 1100 Turbo

Green	5639-842
Orange	5639-843



Page 116


HOOD FLARES

Application

'12-'13 F 800, F 1100, F 1100 Turbo, M 800, M 800 HCR, M 1100, M 1100 Turbo, M 1100 Turbo HCR, XF 800, XF 800 HC, XF 1100, XF 1100 Turbo, XF 1100 Turbo HC

p/n

5639-898



Page 116

TUNNEL FLARES

Application

'12-'13 F 800, F 1100, F 1100 Turbo, M 800, M 800 HCR, M 1100, M 1100 Turbo, M 1100 Turbo HCR, XF 800, XF 800 HC, XF 1100, XF 1100 Turbo, XF 1100 Turbo HC

p/n
5639-809



Page 117

A. HOOD-MOUNTED MIRRORS

Application

'12-'13 F 800, F 1100, F 1100 Turbo, M 800, M 800 HCR, M 1100, M 1100 Turbo, M 1100 Turbo HCR, XF 800, XF 1100 Turbo HC

p/n

Single, RH	5639-830
Single, LH	5639-831
Pair	5639-832
Replacement Mounting Screw (Longer Thread Length)	1423-133

B. WINDSHIELD MIRRORS

Application

'12-'13 F5, F570; '10-'11 F Series; '08-'13 T570, TZ1 Touring; '09-'11 BC, Z1, Z1 Turbo; '12-'13 F, M, XF Accessory Mid & High Windshields

p/n

Black - Single	4639-734
Black - Pair	4639-733

C.-D. COMPACT MIRRORS

Sold individually.

Application

(C)'05-'11 M Series; '06-'11 CF; '09-'11 CFR, M8 HCR

p/n

(C)'05-'11 M Series; '06-'11 CF; '09-'11 CFR, M8 HCR	4639-463
(D)'12-'13 F5, F570; '10-'11 F Series; '08-'13 T570, TZ1 Touring; '09-'11 BC, Z1, Z1 Turbo	4639-565



Page 117

HAND MIRROR

Description	p/n
Hand Mirror	4992-810



A-ARM DEFLECTORS

Description	p/n
'12-'13 F5, F570; '10-'11 F Series; '08-'13 T570, TZ1 Touring; '09-'13 BC 570; '09-'11 Z1	4639-897



TOE HOLD

Sold in pairs.

Application	p/n
'10-'13 Sno Pro 500	5639-611



RECOIL HANDLE


Application	p/n
Black	0636-363
Green	3639-866
Orange	3639-867



WHEELS (IDLER WHEELS)

Includes bearing. Sold individually.

Description	p/n	Description	p/n
(A) 5.63" x .787" ID		(A) 7.12" x .787" ID	
Black	3604-386	Black	3604-063
Green	3604-047	Green	3604-066
Orange	3604-048	Orange	3604-065
Pink	3604-379	Pink	3604-380
Red	3604-044	Red	3604-064
Silver	3604-043	Silver	3604-062
Yellow	3604-040	Yellow	3604-068
(A) 5.63" x .625" ID		(A) 7.12" x .625" ID	
Green	1604-691	Black	1604-683
Silver	1604-693	Green	1604-745
Yellow	2604-122	Silver	1604-971
(A) 6.38" x .625" ID		(B) 8.00" x .787" ID	
Green	1604-692	Black	3604-073
Orange	1604-765	Green	3604-075
Red	1604-767	Orange	3604-071
Silver	1604-694	Red	3604-074
		Silver	3604-076
(A) 6.38" x .787" ID		(C) 5.63" x .625" ID	
Black	3604-387		
Green	3604-053	Green	0604-981
Orange	3604-054	(C) 6.38" x .625" ID	
Red	3604-052	Green	0604-980
Silver	3604-055		




A. SHORT SNOWFLAP

Application	p/n
'99-'06 121" Models Models prior to '99	1606-507 0616-613

B. SNOWFLAP SUPPORT BRACKET

Application	p/n
'99-'06 121" Models	2706-648

Mountain Accessories



Page 119

MOUNTAIN PACK


Application	p/n
(A) '12-'13 M 800, M 800 HCR, M 1100, M 1100 Turbo, M 1100 Turbo HCR, XF 800, XF 800 HC, XF 1100, XF 1100 Turbo, XF 1100 Turbo HC; '09-'11 M Series, M8 HCR	5639-710
(B) '05-'08 M Series; '06-'08 CF	3639-725
Replacement Hardware	
Repl Strap w/Hook, Pk/4 (5639-710)	0641-994



Page 119

MOUNTAIN GEAR BAG


Application	p/n
(A)'12-'13 M 800, M 800 HCR, M 1100, M 1100 Turbo, M 1100 Turbo HCR, XF 800, XF 800 HC, XF 1100, XF 1100 Turbo, XF 1100 Turbo HC; '09-'11 M Series, M8 HCR	5639-711
(B)'09-'11 M Series, M8 HCR	5639-044
(C)'05-'08 M Series; '06-'08 CF	4639-727
Replacement Hardware	
Repl Strap w/Hook, Pk/4 (5639-044, 5639-711)	0641-994
Repl Cam Buckle, Pair (4639-727)	1639-248



Page 119

TUNNEL GEAR BAG

Application	p/n
(A) '12-'13 F5, F570; '10-'11 F Series, M Series, Z1, Z1 Turbo, Z1 Turbo EXT; '11 F8 EXT	5639-574
(B) '09-'11 M Series, CF, CFR, M8 HCR	5639-043
Replacement Hardware	
Repl Strap w/Hook, Pk/4 (5639-043, 5639-574)	0641-994
Repl Cam Buckle, Pair (5639-574)	0639-089



Page 119

TUNNEL PACK


Application	p/n
(A) '12-'13 F 800, F 1100, F 1100 Turbo, M 800, M 800 HCR, M 1100, M 1100 Turbo, M 1100 Turbo HCR, XF 800, XF 800 HC, XF 1100, XF 1100 Turbo, XF 1100 Turbo HC	6639-183
(B) '10-'13 Sno Pro 500; '10-'11 M Series	5639-433
Replacement Hardware	
Repl Spool w/Rivet, Pair (6639-183)	6639-154
Repl Front Clip, Pair (6639-183)	6639-155
Repl Strap w/Hook, Pk/4 (5639-433)	0641-994



Page 119

HANDLEBAR BAG

Application	p/n
'12-'13 M 800, M 800 HCR, M 1100, M 1100 Turbo, M 1100 Turbo HCR, XF 800, XF 800 HC, XF 1100, XF 1100 Turbo, XF 1100 Turbo HC; '09-'13 BC 570, BC XT; '05-'11 M Series; '06-'11 CF	5639-709



Page 120

TANK PADS

Sold in pairs.

Application	p/n
(A) '12-'13 F 800, F 1100, F 1100 Turbo, M 800, M 800 HCR, M 1100, M 1100 Turbo, M 1100 Turbo HCR, XF 800, XF 800 HC, XF 1100, XF 1100 Turbo, XF 1100 Turbo HC	5639-764
Black	5639-764
Green	5639-765
Orange	5639-766
White	6639-096
Plastic Rivets (6/pk)	5639-930
(B) '05-'11 M Series; '06-'11 CF; '09-'11 CFR, M8 HCR	
Black	5639-050
Green	5639-051
Orange	5639-052
Replacement Mounting Screw '05-'07 (Std)	8017-427
Replacement Mounting Screw '08-'11 (Metric)	8475-512
(C) '10-'13 Sno Pro 500	
Black	5639-612



Page 120

TANK GRIPS

Application

'12-'13 F 800, F 1100, F 1100 Turbo, M 800, M 800 HCR, M 1100, M 1100 Turbo, M 1100 Turbo HCR, XF 800, XF 800 HC, XF 1100, XF 1100 Turbo, XF 1100 Turbo HC

p/n

5639-762



Page 120

WINDSHIELD BAG

Application

'12-'13 F 800, F 1100, F 1100 Turbo, M 800, M 800 HCR, M 1100, M 1100 Turbo, M 1100 Turbo HCR, XF 800, XF 800 HC, XF 1100, XF 1100 Turbo, XF 1100 Turbo HC
'12-'13 F, M, XF With Accessory Mid & High Windshields 5639-799, 5639-800, 5639-801, 5639-916, 5639-917
'05-'11 M Series; '06-'11 CF; '09-'11 CFR, M8 HCR

p/n

5639-712

6639-051

4639-428



Page 120

GOGGLE HOLDER

CAUTION: Do not leave goggles in holder for an extended period of time. Excessive heat may damage goggles.

Application

(A)'12-'13 F 800, F 1100, F 1100 Turbo, M 800, M 800 HCR, M 1100, M 1100 Turbo, M 1100 Turbo HCR, XF 800, XF 800 HC, XF 1100, XF 1100 Turbo, XF 1100 Turbo HC

p/n

5639-767

(B)'05-'11 M Series; '06-'11 CF; '09-'11 CFR, M8 HCR

4639-732

Replacement Hardware

Latch Repair Kit (5639-767)

6639-076



Page 121

A. BILLET RACK

8" x 13" W

Application

'12-'13 M 800, M 800 HCR, M 1100, M 1100 Turbo, M 1100 Turbo HCR, XF 800 HC, XF 1100 Turbo HC; '13 F 800, F 1100, F 1100 Turbo, XF 800, XF 1100, XF 1100 Turbo; '09-'11 M Series, M8 HCR

p/n

Black 5639-597

Silver 5639-598

B. PROCLIMB RACK

8" x 12" W

Application

'12-'13 M 800, M 800 HCR, M 1100, M 1100 Turbo, M 1100 Turbo HCR, XF 800 HC, XF 1100 Turbo HC; '13 F 800, F 1100, F 1100 Turbo, XF 800, XF 1100, XF 1100 Turbo

p/n

Black

6639-159

Green

5639-773

Orange

5639-774

Silver

5639-775

C. M SERIES RACK

8 3/4" x 15" W

Application

'09-'11 M Series, M8 HCR

p/n

Green

4639-975

Orange

4639-976

Unpainted

4639-977



Page 121

RACK STRAP

Application

(A)'12-'13 M 800, M 800 HCR, M 1100, M 1100 Turbo, M 1100 Turbo HCR, XF 800, XF 800 HC, XF 1100, XF 1100 Turbo, XF 1100 Turbo HC; '09-'11 M Series, M8 HCR, CF

p/n

4639-978

(B)'05-'08 M Series; '06-'08 CF

3639-579



Page 121

MOUNTAIN SEAT

Application

'05-'09 M Series; '06-'11 CF; '09-'11 CFR

Color

Black 5639-600

Green 5639-601

Orange 5639-602



Page 121

BEARD MOUNTAIN SEAT

Application

'05-'11 M Series; '06-'11 CF; '09-'11 CFR

p/n

5639-875



Page 122

FLOAT THROTTLE AVALANCHE AIRBAG

For technical assistance, contact BCA at 303-417-1345, ext. 0. Includes pressurized air cylinder, requires hazardous material shipping.

Description

Float Throttle

[BCA online resources](#)

p/n

6639-107



Page 122

AVALANCHE BEACONS

For technical assistance contact: BCA at 303-417-1345, ext. 0.

Description

BCA Tracker2 (457 kHz)

[BCA online resources](#)

p/n

5639-610



Page 122

BACKCOUNTRY KIT

Description

BCA Squall Backpack, Tracker2 Beacon, B-1 Ext Shovel, Stealth 240 Probe

p/n

6639-109



Page 123

BACKPACKS

Description

(A) BCA Squall w/Hydration - 2.0 lbs, 27 Liter capacity

p/n


5639-769

(B) BCA Throttle w/Hydration - 3.3 lbs, 35 Liter capacity

5639-653

(C) Ogio Capital - 2.6 lbs, 34 Liter capacity

5639-432



Page 123

SNOW SHOVELS

Description

(A) BCA A-2 EXT with Saw (Extendable handle)

p/n

5639-786


(B) BCA B-1 EXT (Extendable handle)

5639-770

(C) BCA Dozer (Converts to Shovel or Hoe)

6639-108

[BCA online resources](#)



Page 123

A. AVALANCHE PROBE

Description	p/n
BCA Stealth 240	6639-110
BCA online resources	

B. POCKET SAW

Application	p/n
Saw with Pouch	4639-979



Page 124


ICE SCRATCHERS

Note: Ice Scratchers can be used on most Arctic Cat models. They must be mounted in a location that will not contact idler wheels or suspension arms. Mounting holes may need to be drilled in the rails.

Application	p/n
'12-'13 M 800, M 1100, M 1100 Turbo, XF 800, XF 800 HC, XF 1100, XF 1100 Turbo, XF 1100 turbo HC; '09-'11 M Series, M8 HCR, CF	5639-897

Replacement Components

Wire - RH	1704-734
Wire - LH	1704-735
Mounting Hardware (Pair)	5639-941



Page 124

VENTED HOOD PANELS

Description	p/n
-------------	-----

'12-'13 F 800, F 1100, F 1100 Turbo, M 800, M 800 HCR, M 1100, M 1100 Turbo, M 1100 Turbo HCR, XF 800, XF 800 HC, XF 1100, XF 1100 Turbo, XF 1100 Turbo HC

Hood Panel Kit with Screens (Pair)


Black	5639-862
Green	5639-863
Orange	5639-864
White	5639-991

Screen Set Only (Pair)

Hood Screens	5639-948
--------------	----------

Replacement Screens (Each)

Hood Screen - RH	6606-468
Hood Screen - LH	6606-469



Page 124

VENTED SIDE PANELS

Description	p/n
-------------	-----

'12-'13 F 800, F 1100, F 1100 Turbo, M 800, M 800 HCR, M 1100, M 1100 Turbo, M 1100 Turbo HCR, XF 800, XF 800 HC, XF 1100, XF 1100 Turbo, XF 1100 Turbo HC

Side Panel Kit with Screens (Pair)

Black	5639-865
Green	5639-866
White	6639-084

Screen Set Only (Set of 7)

Side Panel Screens	5639-949
--------------------	----------

Replacement Screens (Each)

(A) Upper - RH	6606-470
(A) Upper - LH	6606-471
(B) Mid - LH	6606-485
(C) Lower, Rear - RH	6606-474
(C) Lower, Rear - LH	6606-475
(D) Lower, Front - RH	6606-472
(D) Lower, Front - LH	6606-473



Page 125

SWITCH GUARDS

Description	p/n
-------------	-----

'12-'13 M 800, M 800 HCR, M 1100, M 1100 Turbo, M 1100 Turbo HCR, XF 800, XF 800 HC, XF 1100, XF 1100 Turbo, XF 1100 Turbo HC; '07-'11 M Series; '09-'11 M8 HCR




Page 125

VERTICAL STEERING POST KIT

Description	p/n
-------------	-----

'12-'13 F 1100, F 1100 Turbo, M 800 (Std), XF 1100, XF 1100 Turbo; '12 M 1100, M 1100 Turbo, M 1100 Turbo HCR; '13 M 1100 (Std), M 1100 Turbo (Std)




Page 125

TELESCOPIC STEERING POST

■NOTE: Not available for CF5 - insufficient cable length.

Application	p/n
(A) '12-'13 F 800, XF 800, M 800 (Std)	5639-813
(B) '09-'11 M Series (Std), CF (Std)	5639-516



Page 125

A. HANDLEBAR RISERS

Application	p/n
'12-'13 F 800, F 1100, F 1100 Turbo, M 800 (Std), M 1100, M 1100 Turbo, XF 800, XF 1100, XF 1100 Turbo	
2.0" - Unpainted	1605-086
3.0" - Unpainted	1605-063
4.5" - Unpainted	1605-035
6.5" - Unpainted	1605-034
2.0" - Black	1705-454
4.5" - Black	5639-881
5.5" - Black	5639-882
6.5" - Black	5639-883
7.5" - Black	5639-884
8.5" - Black	5639-885
4.5" - Green	5639-886
5.5" - Green	5639-887
6.5" - Green	5639-888
7.5" - Green	5639-889
8.5" - Green	5639-890

B. HANDLEBAR RISERS

Application	p/n
'05-'11 M Series (Std); '06-'11 CF (Std)	
1" - Black	5639-776
2" - Black	5639-777
3" - Black	5639-778


C. ANGLED HANDLEBAR RISER

Application	p/n
'05-'11 M Series (Std); '06-'11 CF (Std)	
2" - Silver	5639-503
3" - Silver	5639-504



OFFSET RISER


Application	p/n
'09-'11 M Series; M8 HCR w/Telescopic Post	
Black	5639-595
Silver	5639-596



Page 126

NARROW A-ARM KIT

Application	p/n
'12 M 800 (Std), M 800 SP, M 1100 (Std), M 1100 SP, M 1100 Turbo (Std), M 1100 Turbo SP, M 1100 Turbo HCR	
5639-938	
5639-939	
5639-940	



Page 126

SNOBUNJE PULLING TOOLS

Description	p/n
(A) Rattler (32" Long, 1.5 lbs)	5639-639
(B) Cobra (52" Long, 2.5 lbs)	5639-640
(C) Adapter Strap (60" Long)	5639-642
(D) Slicktape 20 (20' Long)	5639-643
(E) Cobra Adapter Strap (15" Long)	5639-641



PULL STRAP

Description
Pull Strap

p/n
5639-512



Page 126

HI-TEMP CAM ROLLER

Set of 6.

Application
ACT Driven Pulley

p/n
5639-990




Page 126

LIGHTWEIGHT FRONT AXLE KIT

Application
'05-'08 M Series

p/n
4639-995



RACK PAD

Application
'09-'11 M Series, M8 HCR, CF (12.75-in. Long)
'10-'11 F Series, Z1, Z1 Turbo, Z1 Turbo EXT; '11 F8 EXT (21-in. Long)

p/n
4639-988
5639-351



MOUNTAIN STRAP

Application
'10-'11 Z1 Turbo EXT; '11 F8 EXT

p/n
5639-358



A. FOUR WHEEL KIT

Adds two inside wheels.

Application
'09-'11 M Series

p/n
5639-528

B. TWO WHEEL KIT

Application
'08 M Series; '09-'11 CF
'05-'07 M Series, '04 MC, '04-'06 KC
*Requires Spacer (p/n 1604-810)

p/n
4639-997



TUNNEL FLARES

Application
'09-'11 M Series, M8 HCR, CF, CFR
Black

p/n
5639-107

Utility



Page 127

BEARCAT GEAR BAG

Application

'09-'13 BC 570 XT, BC Z1 XT

p/n

5639-049



Page 127

TUNNEL PACK

Application

'09-'13 BC 570 XT, BC Z1 XT

p/n

6606-252



Page 127

THIRD SEAT

Application

'09-'13 BC 570 XT, BC Z1 XT

p/n

5639-063



Page 128

BACKUP LIGHT KIT

Application

'09-'13 BC Z1 XT

p/n

5639-389



Page 128


CARGO RACK

Application

'09-'13 BC 570 XT, BC Z1 XT

p/n

5639-062



Page 128

SIDE RAILS

Application

'09-'13 BC 570 XT, BC Z1 XT

p/n

5639-060

5639-061

(A) Short

(B) Long

Replacement Strap ea (5639-060)

0641-993



Page 128

LIGHT BAR

Application

'09-'13 BC 570 XT, BC Z1 XT

p/n

5639-803



Page 128


STROBE LIGHT

Application

Fits Light Bar (5639-803)

p/n

5639-871



Page 129

RECEIVER WINCH

Application

(A) '09-'13 BC 570 XT, BC Z1 XT
(B) Winch Cover

p/n

5639-340
5639-459

Replacement Components

Fairlead, Roller	0441-403
Mounting Pin	1441-977
Mounting Pin Clip	1441-143
Mounting Plate 2" Receiver	0641-256
Solenoid	0409-080
Switch, Handlebar	0641-249



Page 129

REAR HARNESS

Application

'09-'13 BC 570 XT, BC Z1 XT

p/n

5639-456



Page 129

TRANSPORT MOUNT

Application

'09-'13 BC 570 XT, BC Z1 XT

p/n

5639-457



Page 129

WARN XT17 PORTABLE WINCH KIT

Description

p/n
6639-073

Models With Standard Battery

1641-009

1641-010

1641-011

1641-012

Replacement Components

Switch Assembly w/Harness	
Power Lead, Battery	
Power Lead, Extension	
Hook Strap	



Page 129

WINCH STOW PLATE

Description

Portable Winch (6639-073)
Replacement Pin

p/n

6639-074
1641-013



Page 130

CARGO SLEDS

Additional shipping charges may apply. Order in multiples of 3.

Description

74" L X 38" W X 17" D, 48 lb, Capacity - 600 lb

p/n

4639-126



Page 130

CARGO SLED RUNNER KIT

Application

Cargo Sled (4639-126) 6 Wearstrips

p/n

4639-131



Page 130

CARGO SLED COVER


Attaches with elastic cord.

Application

Cargo Sled (4639-126)

p/n

4639-129



REPLACEMENT HARDWARE

Description

(A) Replacement Hitch
(B) Replacement Pins (Pair)
(C) Pindle Hitch Adapter

p/n

4639-941
5639-236
5639-463



Page 131

RECEIVER BUMPER

Application

'09-'13 BC 570 XT, BC Z1 XT

p/n

(A) Front
(B) Rear
Replacement Hitch Cover

5639-338
5639-339
0641-248



Page 131

A. HITCH

Pindle hitch not included. Accepts Pindle Hitch (p/n 4606-156)

Application

'09-'13 BC XT - Receiver Bumper (p/n 5639-339)

p/n

5639-386

B. PIVOT HITCH

Application

'09-'13 BC 570 XT, BC Z1 XT; '06-'07 BC WT; '07 BC 570

p/n

5639-387



Page 131

SKI SKINS


Fits 8" Saddleless Skis. 12" wide. Sold in pairs.

Application

'09-'13 BC 570, BC 570 XT, BC Z1 XT

p/n

5639-254



PASSENGER HAND WARMERS

■NOTE: Not available for fan-cooled models - power output insufficient.

Application

(A) '09-'13 BC Z1 XT; '11-'12 BC Z1 XT LTDLTD
(B) '08-'09 T500

p/n
4639-970
4639-802



Page 131

SNOW PLOW PUSH FRAME

Requires Front Receiver Bumper and Receiver Winch.


Application

'09-'13 BC 570 XT, BC Z1 XT

p/n
5639-341

Replacement Components

Eyebolt	0441-332
Mounting Pin	1441-977
Mounting Pin Clip	1441-143
Spring - Kickover	0741-009



Page 131

SNOW PLOW BLADE

60" Blade.

Application

Fits Snowplow Push Frame (5639-341)

p/n
0436-296

Optional Accessories

Edge Marker Kit	0436-235
Side Plate Kit	0436-232
Snow Deflector	0436-299

Replacement Components

Skid	0441-341
Wearbar	0441-447



RACK MAT

Application

'09-'13 BC 570 XT, BC Z1 XT

p/n
5606-368



RADIATOR KIT

Includes radiator with electric cooling fan, hoses, and wiring.

Application

(A) '09-'13 BC Z1 XT (Under Seat)
(B) '09-'13 BC Z1 XT (Front)

p/n
4639-967
6639-180



LOW RATIO GEAR SET

Includes input gear and fully assembled planetary ring gear assembly. Uses 4 pinion straight cut gears for strength and reliability. Drive away is just over 4 mph with a top speed of 57 mph.

Application

'12-'13 BC Z1 XT GS; '09-'13 BC Z1 XT

p/n
6639-190

■NOTE: For more information on the Gear Exchange Program, see page 1.



PASSENGER SEAT KIT

Includes seat assembly with backrest.

Application
'09-'10 BC 570

p/n
5639-201



OVERLOAD SPRING KIT

Application
'09-'10 BC 570

p/n
5639-106

Bearcat Trail Groomer



The Bearcat Trail Groomer is designed to maintain a 4-ft wide trail

- Two electric actuators that control cutting depth and wheel lift are pre-wired for the Bearcat Z1 XT GS rear outlet
- Four spring-loaded, pivoting cutting edges (front two are serrated) ('12-'13 Bearcat Z1 XT models have pre-drilled mounting holes, '09-'11 models require drilling)
- Goose-neck hitch features an anti-scalping design
- Includes a snowmobile hitch plate with 1-7/8-in. ball that bolts directly to pre-drilled tunnel rails
- 52-in. x 96-in., 350 lb

■NOTE: The '12-'13 Bearcat Z1 XT GS has an under-seat radiator and Groomer switches and outlet factory-installed. All other '09-'13 Bearcat Z1 XT models require a Radiator Kit (page 45) and Groomer Harness Kit when pulling a Trail Groomer.

Description
Trail Groomer w/Mounting Plate & Ball
Groomer Harness Kit*

Replacement Components
Hitch Plate w/Ball
Lift Actuator

Application
'12-'13 BC Z1 XT GS
'09-'13 BC Z1 XT

p/n
5639-891
5639-876

5639-931
5639-932

*Includes dash-mounted control switches, wiring harness, and rear outlet

TRACKS - 2006-PRIOR APPLICATIONS

Tracks listed below will not fit 2007 and newer models with ACT drive and reverse.

15" TRACKS (2.52 P)

p/n	Dimensions	Style	Duro	Weight	Clips	Windows
*1602-756	121" x .850"	A	60	34	Every 3rd	Every 3rd Closed
2602-398	121" x 1.00"	Hacksaw NQ	80/70	33	Every 3rd	All Open
*1602-504	121" x 1.00"	B	80/60	34	Every 3rd	Every 3rd Closed
2602-396	121" x 1.25"	Ripsaw NQ	80/70	36	Every 3rd	All Open
2602-397	121" x 1.352"	Cobra NQ (Single-Ply)	80	32	Every Other	All Open
*1602-506	121" x 1.375"	E	80/60	40	Fully Clipped	All Open
2602-004	121" x 1.50"	Ripsaw	80/70	38	Every 3rd	All Open
2602-096	128" x 1.00"	Challenger LP	80		Every 3rd	All Open
2602-147	128.5" x 1.70"		80		Every Other	All Open
2602-100	144" x 1.00"	Challenger LP	80		Every 3rd	All Open
1602-137	144" x 2.00"	Challenger (Notched)	80/60	46	Fully Clipped	All Open
2602-517	156" x 1.00"	Utility	80		Every Other	All Open
1602-336	159" x 2.00"	Challenger (w/o Notch)	80	54	Fully Clipped	All Open

15" TRACKS (3.0 P)

1602-607	141" x 1.60"	R	80	40	Every Other	All Open
2602-075	150" x 1.70"	Attack 20 Comp	80		Every Other	All Open

13.5" TRACKS (2.52 P)

*1602-502	128" x 1.00"	E	80/60	33	Every 3rd	Every 3rd Closed
*1602-886	128" x 1.00"	Hacksaw	80/60	34	Every 3rd	Every 3rd Closed
*1602-503	128" x 1.375"	E	80/60	39	Fully Clipped	All Open
1602-657	128" x 1.70"		80		Every Other	All Open
1602-750	144" x 1.25"	A	80/60	34	Every 3rd	All Open

MISC. TRACKS

1602-015	120 (10" x .688")
0602-927	Kitty Cat

- *Cobra 1.352" tracks have a standard lug height of 1.25". The overall lug height including the extended "towers" is 1.352".*
- *60 Durometer is a softer compound and is preferred by deep powder riders.*
- *80 and 90 Durometer is a harder compound to give greater penetration and are preferred hill climb tracks.*
- *80/60, 80/70 Durometer are dual compound tracks with the lug tip 60 or 70 durometer and the remainder 80 durometer.*
- *Tracks w/o Notch fit '03-'04 MC models.*
- *2.25" tracks fit '99-'04 MC models.*
- *Non-Quiet (NQ) Tracks can be used on competitive brands.*

MAXIMUM LUG HEIGHT

Model	Year	Height
CF	'09-'11	2.25"
F	'06-'08	2.00"
F Series	'12-'13	2.25"
FC (ACT)	'07-'11	1.50"
JR	'05-'06	1.70"
T570, TZ1	'07-'08	1.50"
Z1	'08-'13	1.25"
XF	'09-'11	1.50"
136" Straight Tunnel Models	'12-'13	2.25"
		1.60"

Wearbars

Page 135

Ski Applications

	A	B	C	D	E
Standard Wearbars	'05-'13 Saddleless '03-'06 FC, SC '02-'06 ZR	ZR-Style, Parabolic, Deep Snow, Universal Plastic Ski	Blow-Molded Plastic Ski	SLP Powder Pro	C&A Pro ADX
7/16" Diameter Round Host Bar (Pair)	p/n	p/n	p/n	p/n	p/n
Hardweld Wearbar (No Carbide Inserts)	3639-309	0639-198	1639-744		
4" Carbide With Hardweld			1639-527		
6" Carbide With Hardweld			1639-528		
1/2" Diameter Round Host Bar (Pair)					
4" Carbide With Hardweld	3639-310	3639-978		3639-420	
6" Carbide With Hardweld	3639-311	1639-521		3639-421	5639-604
8" Carbide With Hardweld	3639-312	0639-378			5639-605
10" Carbide With Hardweld	3639-313				
5/8" Diameter Round Host Bar (Pair)					
8" Carbide With Hardweld	3639-314				
10" Carbide With Hardweld	3639-315				5639-606
10" Competition Carbide	3639-318				
Shaper Wearbars					
4.5" Carbide (Pair)	4639-949				
6" Carbide (Pair)	4639-950				
7.5" Carbide (Pair)					4639-952
9" Carbide (Pair)	4639-951				4639-953

■NOTE: The accessory Saddleless Ski wearbars listed use a 4-bolt stud pattern. When using accessory wearbars on Saddleless Skis with a 3-bolt stud pattern, it will be necessary to drill another mounting hole in the ski.

Dual Wearbars	'05-'13 Saddleless '03-'06 FC, SC '02-'06 ZR	ZR-Style, Para-bolt, Deep Snow, Universal
Dooly™ Twin Carbide Wearbars (Each)		
Hardweld Wearbar	5639-879	
4" Carbide With Hardweld	3639-343	3639-346
6" Carbide With Hardweld	3639-344	3639-347
8" Carbide With Hardweld	3639-345	3639-348
Deuce™ Twin Carbide Wearbars (Each)		
4.5" Carbide	5639-251	
6" Carbide	5639-252	
9" Carbide	5639-253	
Staggered Wearbars (Each)		
4" Carbide (RH) 3-Bolt (Standard)	2603-988	
4" Carbide (LH) 3-Bolt (Standard)	2603-989	
4" Carbide (RH) 4-Bolt (Aggressive)	2603-930	
4" Carbide (LH) 4-Bolt (Aggressive)	2603-931	
Steel Ski Wearbars	AFS (4-Bolt)	AWS (3-Bolt)
7/16-in. Diameter Round Host Bar (Pair)		
Hardweld Wearbar		1639-784
4-in. Carbide With Hardweld	0638-399	4639-013
6-in. Carbide With Hardweld	0638-520	

Bulk Pack Wearbars

Our most popular 4", 6", and 8" accessory carbide wearbars are available in bulk packaging, 10 pairs with nuts to a box. These are the same wearbars that we offer in Arctic Cat packaging. Bulk packaging allows Arctic Cat to offer you ultra-competitive pricing on these high volume wearbars.

Description	p/n
Wearbars For Arctic Cat '05-'13 Saddleless Skis; '03-'06 FC, SC; '02-'06 ZR	
10 Pairs 3639-310 - 4" Carbide With Hardweld	2639-184
10 Pairs 3639-311 - 6" Carbide With Hardweld	2639-185
10 Pairs 3639-312 - 8" Carbide With Hardweld	2639-186
Wearbars for ZR Style, Parabolic, and Deep Snow Plastic Skis	
10 Pairs 3639-978 - 4" Carbide With Hardweld	3639-979
10 Pairs 1639-521 - 6" Carbide With Hardweld	2639-189

Stud Quantity/Inches of Turning Carbide		
Sled	Trail	Performance
50-75 HP	48/4 in.	48/6 in.
75-125 HP	102/6 in.	153/8 in.
125-150 HP	153/8 in.	153/10 in.
150-170 HP	153/8 in.	153/10 in.



STEEL SKI WEARBAR APPLICATIONS

Application	Year	p/n	4" Carbide With Hardweld p/n	6" Carbide With Hardweld p/n
4-Stroke Trail	'02	1639-744		
4-Stroke Touring	'02	1639-744		
BC 340	'97-'01	0639-198		
	'00	1639-744		
BC 440	'95-'99	1639-784		
	'99-'00	0639-198		
BC 550	'97-'98	1639-784		
Cheetah Touring	'98-'02	0639-198		
Cheetah 340, 440, 550	'92-'93	1639-784		
Cougar, Cougar 2-Up	'94	1639-784		
Cougar Dlx	'98	0639-198		
EXT	'91-'98	1639-784		
EXT Dlx	'98	0639-198		
EXT Special	'91	1639-784		
EXT 600	'97-'98	1639-784		
EXT 600 Touring	'98	0639-198		
FC	'03	3639-309		
Jag	'92-'99	1639-784		
Jag AFS L/T	'92-'93	1639-784		
Jag Liquid	'96	1639-784		
Jag Special	'91	1639-784		
Lynx	'92-'93	1639-784		
MC	'01-'04	0639-198		
PTA 550	'02-'03	1639-744		
PTA 660	'02-'03	0639-198		
PTA 800	'02	0639-198		
PTA	'91-'01	0639-198		
	'91-'96	1639-784		
PA	'00-'05	1639-744		
	'92-'99	1639-784		
PE	'97-'98	0639-198		
PS	'96-'00	0639-198		
Prowler	'91-'95	1639-784		
	'90	1639-784		
Prowler Special	'91	1639-784		
Puma	'94-'97	1639-784		
TC	'97-'02	0639-198		
	'93-'95	1639-784		
WC	'95-'96	1639-784		
	'91	1639-784		
WC EFI (AFS)	'91-'92	1639-784		
Z 370	'99-'05	1639-744		
Z 440	'00-'02	1639-744		
	'97-'99	0639-198		
Z 570	'02-'05	1639-744		
ZL	'97-'03	0639-198		
ZR	'97-'01	0639-198		
ZR 440	'96-'99	0639-198		
ZRT	'96-'02	0639-198		
			(AFS) '91-'92	4639-013
			(AWS) '92-'94	0638-399
			'95-'96	0638-520
			Z 440	0638-399
			ZR 440	0638-399
			ZR 580, 700 (Steel Ski)	0638-399
			'93-'96	0638-520

4 Bolt Wearbar; 0638-399, 0638-520

3 Bolt Wearbar; 4639-013

HARDWELD WEARBARS

Application	Year	p/n
4-Stroke Trail	'02	1639-744
4-Stroke Touring	'02	1639-744
BC 340	'97-'01	0639-198
	'00	1639-744
BC 440	'95-'99	1639-784
	'99-'00	0639-198
BC 550	'97-'98	1639-784
Cheetah Touring	'98-'02	0639-198
Cheetah	'92-'93	1639-784
	'94	1639-784
Cougar	'92-'97	0638-399
Cougar, Cougar MC	'86-'89	4639-013
Ei Tigre	'89-'91	0638-399
EXT, EXT MC	'92-'97	0638-520
EXT Special	'91	4639-013
	'92	0638-399
EXT MC	'94-'96	0638-520
EXT 580 Z	'93	0638-520
EXT 600	'97-'98	4639-013
Jag, Jag Deluxe	'92-'97	4639-013
Jag AFS	'89-'91	0638-399
Jag AFS LT	'90-'91	0638-520
Jag Special	'91	4639-013
	'92	0638-399
Jag Z	'93-'94	0638-520
Lynx	'91	0638-399
	'92-'93	0638-520
PTA	'86-'90	4638-520
	'91-'96	4639-013
PA	'90-'91	0638-399
	'92-'99	4639-013
Prowler, Prowler MC	'90	0638-399
	'91-'95	4639-013
Prowler Special	'91	4639-013
	'92	0638-399
Puma, Deluxe, 2-Up	'94-'97	0638-520
TC	'93-'96	4639-013
TC MC	'94-'95	4639-013
WC, WC MC	(AFS) '91-'92	4639-013
	(AWS) '92-'94	0638-399
	'95-'96	0638-520
Z 440	'95-'96	4639-013
ZR 440	'93-'94	4639-013
ZR 580, 700 (Steel Ski)	'93-'96	4639-013

Traction & Control

2013 TRACK LUG HEIGHTS AND RECOMMENDED STUD LENGTH

Model	Track Length/ Lugs	Woody's Stud Length	Stud Boy Stud Length	Model	Track Length/ Lugs	Woody's Stud Length	Stud Boy Stud Length
Single-Ply Tracks							
Bearcat 570	151" x 1.250"	1.325	1.375	F 800, 1100 LXR	128" x 1.000"	1.075	1.080
Bearcat 570 XT, Z1 XT	154" x 1.375"	1.450	1.500	F 1100 Turbo LXR	128" x 1.250"	1.325	1.375
XF 800, 1100 LXR (Inc Turbo)	141" x 1.352**	1.325	1.375	F 800, 1100 SP (Inc Turbo)	128" x 1.250"	1.325	1.375
XF 800, 1100 SP (Inc Turbo)	141" x 1.600"	1.575	N/A	Sno Pro 500	128" x 1.000"	1.075	1.080
				T570, TZ1, TZ1 LXR	144" x 1.000"	1.075	1.080
				TZ1 Turbo LXR	144" x 1.352**	1.325	1.375

* Cobra 1.352" tracks have a standard lug height of 1.25". The overall lug height including the extended "towers" is 1.352". Because the "towers" will flex, Cobra 1.352" tracks use the same length studs as a 1.25" track.

CAUTION

- To protect the tunnel from possible damage from the studs, install a Tunnel Protector Kit (see page 55) on models not so equipped. Do not use longer than recommended studs. Use only Arctic Cat approved Stud Templates shown on page 55.
- For Stud Length 1.325" and longer, we recommend the use of a Big Nut or Power Tower Support Nut.
- A short snowflap is required when installing studs on '07-'09 F Series, JR, Z1, and '09 CF (see page 55).
- Do not stud the original 1.250" track on the '06-'08 BC WT Turbo. Damage to the heat exchangers may occur. If you wish to install studs on '06-'08 BC WT Turbo track, the original 1.250" track must be replaced with a 1.00" track.

Single-Ply Track Application

■ NOTE: '09-'13 Track applications shown on page 47.

WARNING

When installing studs on a single-ply track, it is important to use Arctic Cat-approved studs (proper head diameter). If approved studs (proper head diameter) are not used, studs could tear free of the track causing possible injury or even death.

WOODY'S

A. Page 136

GRAND MASTER™ TRACTION KITS

60° Carbide Tip, 5/16" Thread, 1.20" Head.

Application	Qty	p/n
'09 F Series Sno Pro, Z1 Turbo LXR, Z1 Turbo Sno Pro; '10 Sno Pro 500 128" x 1.25"		
Grand Master Stud Kit (1.325" Studs)	102/pk	5639-230
Grand Master Stud Kit (1.325" Studs)	153/pk	5639-231
'12-'13 XF 800 LXR, XF 1100 LXR (Inc Turbo); '09-'11 CF 141" x 1.352"		
Grand Master Stud Kit (1.325" Studs)	94/pk	5639-144
'12-'13 XF 800 Sno Pro, XF 1100 Sno Pro (Inc Turbo) 141" X 1.60**		
Grand Master Stud Kit (1.575" Studs)	94/pk	6639-198
'11-'13 BC XT 154" x 1.375"		
Grand Master (1.450" Studs)	108/pk	5639-626

■ NOTE: '12-'13 XF Sno Pro models with 1.60" track require Tunnel Protector kit 6639-118 or 6639-179. The wear strips used in these kits have a taller profile for additional heat exchanger protection.

GRAND MASTER™ STUDS

60° Carbide Tip, 5/16" Thread, 1.20" Head.

Description	Qty	p/n
1.325" With Big Nut	500/pk	5639-426

GRAND MASTER™ SUPPORT PLATES

Description	Qty	p/n
Single, Square 1.50" - 5/16"	500/pk	5639-427
Double - 5/16"	51/pk	5639-486

2-Ply Track Application

ARCTIC CAT TRACTION BY
woody's



Page 136

TRACTION KITS

Includes Signature Series Studs, Support Plates, Standard or Big Nuts, Template, Drill, and Track Marker.

Application	Qty	p/n
'13 F 800 Sno Pro, F 1100 Sno Pro, F 1100 Turbo LXR, Sno Pro 129" X 1.25" Track 2.86 P		
1.325" Studs	90/Pk	6639-133
1.325" Studs	135/Pk	6639-134
'13 F 800 LXR, F 1100 LXR 129" X 1.00" Track 2.86 P		
1.075" Studs	90/Pk	6639-131
1.075" Studs	135/Pk	6639-132
'12 F 800 Sno Pro, F 1100 Sno Pro, F 1100 Turbo LXR, Sno Pro; '10-'11 F Series Sno Pro, Z1 Turbo LXR, Sno Pro; 128" X 1.25" Track 2.52 P		
1.325" Studs	102/Pk	5639-781
1.325" Studs	153/Pk	5639-782
'12 F 800 LXR, F 1100 LXR; '07-'13 F Series; '09-'11 CFR, Z1, Z1 Turbo; '11-'13 Sno Pro 500 128" X 1.00" Track 2.52 P		
1.075" Studs	102/Pk	4639-550
1.075" Studs	153/Pk	4639-551
'06-'08 CF 136" X 1.25" Track 2.52 P		
1.325" Studs	108/Pk	4639-340
1.325" Studs	162/Pk	4639-341
'11-'12 Sno Pro 600 SX 129" x 1.70" Track 2.86 P		
1.860" Studs	90/Pk	5639-637



B. Page 136



C

SIGNATURE SERIES STAINLESS STEEL

60° Carbide Tip, 5/16" Threads, 15/16" Head. Support Plates sold separately.

Description	Qty	p/n
1.075 Stud With Nyloc Nut	90/Pk	6639-119
	102/Pk	3639-915
	135/Pk	6639-120
	153/Pk	4639-739
	1000/Pk	3639-917
1.175 Stud With Nyloc Nut	90/Pk	6639-121
	102/Pk	3639-919
	135/Pk	6639-122
	153/Pk	4639-740
	1000/Pk	3639-921
1.325 Stud With Big Nut	90/Pk	6639-123
	102/Pk	3639-923
	135/Pk	6639-124
	153/Pk	4639-741
	1000/Pk	3639-925
1.450 Stud With Big Nut	102/Pk	3639-927
	153/Pk	4639-742
	1000/Pk	3639-929

C. Page 137

GOLD DIGGER® TRACTION MASTER®

60° Carbide Tip, 5/16" Threads, 1" Head. Support Plates sold separately.

Description	Qty	p/n
1.075 Stud With Nyloc Nut	90/Pk	6639-125
	102/Pk	3639-067
	135/Pk	6639-126
	153/Pk	4639-748
	1000/Pk	1639-118
1.175 Stud With Nyloc Nut	90/Pk	6639-127
	102/Pk	3639-069
	135/Pk	6639-128
	153/Pk	4639-749
	1000/Pk	1639-958
1.325 Stud With Big Nut	90/Pk	6639-129
	102/Pk	3639-362
	135/Pk	6639-130
	153/Pk	4639-750
	1000/Pk	1639-519
1.450 Stud With Big Nut	102/Pk	5639-913
	135/Pk	5639-914
	1000/Pk	5639-915



Page 137

BIG NUT

These aluminum nuts provide extra strength and are recommended when using studs 1.325" and longer.

Description

Short - 1.325" Studs

Qty	p/n
90/Pk	6639-160
102/Pk	4639-736
135/Pk	6639-161
153/Pk	4639-737
1000/Pk	4639-738

Tall - 1.450" Studs

Qty	p/n
90/Pk	6639-162
102/Pk	4639-794
135/Pk	6639-163
153/Pk	4639-795
1000/Pk	4639-796



B

Page 137

A. DIGGER SUPPORT PLATES

Description

1.250-in. - Square

Qty	p/n
90/Pk	6639-164
102/Pk	3639-093
135/Pk	6639-165
153/Pk	4639-752
1000/Pk	0639-907

1.375-in. - Round

Qty	p/n
90/Pk	6639-166
102/Pk	3639-091
135/Pk	6639-167
153/Pk	4639-751
1000/Pk	3639-005

B. DIGGER COLORED SUPPORT PLATES

Description

1.250-in. Square

Color	Qty	p/n
Black	90/Pk	6639-168
	102/Pk	4639-257
	135/Pk	6639-169
	153/Pk	4639-753
	1000/Pk	4639-259

1.250-in. Square

Color	Qty	p/n
Green	90/Pk	6639-170
	102/Pk	3639-388
	135/Pk	6639-171
	153/Pk	4639-754
	1000/Pk	2639-857

1.250-in. Square

Color	Qty	p/n
Orange	90/Pk	6639-172
	102/Pk	3639-390
	135/Pk	6639-173
	153/Pk	4639-755
	1000/Pk	2639-861



Page 137

DOUBLE DIGGER™ SUPPORT PLATES

Description

5/16"

Qty	p/n
12/Pk	2639-134
48/Pk	2639-135

Woody's Limited Warranty

International Engineering & Manufacturing, Inc. warrants each product manufactured by it to be free from defects in material and workmanship under use for the purpose for which it is intended. The Company shall not be liable for damage or delays caused by defective materials or workmanship; is limited to the repair or replacement at its factory of defective article or part thereof, which may be returned to the factory, transportation charges, prepaid within one (1) year after delivery to the original purchaser. Proof of purchase is also required. The Company shall be the sole judge of the existence of any defect in the article so returned. No claims for charges incurred in the removal, disassembly or reinstallation of such article shall be allowed. Product manufactured for consumer use on snowmobiles is designed for snow or ice only, use on any other surface voids warranty.

This Warranty shall not cover any article which has been misused or neglected or damaged by accident or any article which has been altered outside the Company's factory. The Warranty for studs is void unless the studs are installed with Woody's installation tools, support plates and lock nuts; according to the recommendations set forth in Woody's Instructions and Template Patterns. This Warranty does not cover bending, chipping, flaking or carbide pin breakage or pin loss from stud wear, stud replacement labor or shipping.

The Company shall, in no event be liable for consequential damage or contingent liability arising out of any total or partial failure to function of any article manufactured by it or of any equipment on or in which it is used. Failure of a user to give notice to claim as to defect claimed under the provisions of the Warranty within one (1) year after delivery to original use, such claim shall constitute a waiver by consumer of all claims with respect to goods and equipment.

No express, implied, or statutory warranty other than that herein set forth is made or authorized to be made by the Company. All returned warranties will not be accepted without a return authorization number.

Woody's® Team Woody's®, Snowmobiler Logo, Traction Master, Flat-Top, Gold Digger, Mega-Bite, Excel, Chisel Tooth, Square Digger, Round Digger, Double Digger, Road Runner, Star Stud, Top-Stock, Extender Trail III, Trail Blazer IV, Executive, and Ultra Series are trademarks and/or trade names of International Engineering and Manufacturing, Inc. Traction Master refers to a patented product of International Engineering & Manufacturing, Inc. and is covered by US Patent No. 5,23,266 and Canadian Patent No. 2,086,186. Woody's® Mega-Bite studs are covered by US Patent No. D415,954 and Canadian Patent No. 88,613. Woody's® Universal Template is Patent Pending.

Woody's® Manufacturer Warranty Returns

Call our customer service department for a Return Authorization Number. This number must be visible on the outside of the box. The product must be inspected by a Woody's technician to determine if the product is defective due to material, quality or workmanship before a final warranty determination is made. Proof of purchase is required. All returns to the manufacturer are for exchange only.

ARCTIC CAT TRACTION BY



Stud Boy Limited Warranty

Liberty Products, Inc. warrants each product manufactured by it to be free of defects in workmanship and material while used for the purpose for which it is designed. Liberty Products, Inc. shall not be liable for damages or delays as a result of defects caused by defective workmanship or materials. Warranty is limited to the repair or replacement at Liberty Products of any defective part or product, within one (1) year of the delivery to the original purchaser, proof of purchase must accompany the product returned (freight prepaid). Liberty Products, Inc. shall be the sole judge of any defect, which might be claimed on the returned product. No other charges may be claimed in conjunction with the removal, reinstallation of such product. These products are designed and manufactured for use on snowmobiles on snow and ice only, use on other surfaces voids warranty. Warranty will be void if product has been misused, neglected, damaged or modified outside of Liberty Products, Inc. Does not cover bending, chipping, flaking or carbide breakage or loss from wear. Liberty Products, Inc. will not be liable for consequential damage or contingent liability arising from any total or partial failure to function of any product manufactured by it or any equipment on or in which it is used. No further warranty of any type is intended or implied or will be authorized to be made by Liberty Products, Inc.

2-Ply Track Application

Page 137

POWER POINT™ TRACTION KITS

Application	Qty	p/n
'13 F 800 Sno Pro, F 1100 Sno Pro, F 1100 Turbo LXR, Sno Pro 129" X 1.25" Track 2.86 P		
1.375" Studs	90/Pk	6639-141
1.375" Studs	135/Pk	6639-142
'13 F 800 LXR, F 1100 LXR 129" X 1.00" Track 2.86 P		
1.080" Studs	90/Pk	6639-139
1.080" Studs	135/Pk	6639-140
'12 F 800 Sno Pro, F 1100 Sno Pro, F 1100 Turbo LXR, Sno Pro; '10-'11 F Series Sno Pro, Z1 Turbo LXR, Sno Pro; 128" X 1.25" Track 2.52 P		
1.375" Studs	102/Pk	5639-783
1.375" Studs	153/Pk	5639-784
'12 F 800 LXR, F 1100 LXR; '07-'13 F Series; '09-'11 CFR, Z1, Z1 Turbo; '11-'13 Sno Pro 500 128" X 1.00" Track 2.52 P		
1.080" Studs	102/Pk	5639-099
1.080" Studs	153/Pk	5639-100
'08-'13 T570, TZ1, TZ1 LXR 144" X 1.00" Track 2.52 P		
1.080" Studs	114/Pk	5639-146
'11-'12 SP 600 SX		
1.875" Studs	90/Pk	5639-636



Page 137

POWER POINT™

60° Carbide Tip, 5/16" Thread, 1" Head. Support Plates sold separately.

Description	Qty	p/n
1.080 With Nyloc Nut	90/Pk	6639-135
	102/Pk	5639-072
	135/Pk	6639-136
	153/Pk	5639-073
1.375 With Nyloc Nut	90/Pk	6639-137
	102/Pk	5639-078
	135/Pk	6639-138
	153/Pk	5639-079
1.500 With Nyloc Nut	102/Pk	5639-081
	153/Pk	5639-082



Page 137

POWER PLATE™ BACKERS

Description	Qty	p/n
1.270-in.	90/Pk	6639-174
	102/Pk	5639-093
	135/Pk	6639-175
	153/Pk	5639-094
	1000/Pk	5639-095



Page 138

SUPER-LITE PLUS BACKERS

Single-Ply and 2-Ply application

Description	Color	Qty	p/n
1.450" x 5/16"	Black	102/Pk	5639-362
		153/Pk	5639-363
Green		1000/Pk	5639-364
		102/Pk	5639-366
Orange		153/Pk	5639-367
		1000/Pk	5639-368
White		102/Pk	5639-370
		153/Pk	5639-371
		1000/Pk	5639-372
		102/Pk	5639-443
		153/Pk	5639-444



Page 138

POWER TOWER SUPPORT NUTS

Recommended when using studs 1.375" and longer.

Description	Qty	p/n
.750"	90/Pk	6639-176
	102/Pk	5639-096
	135/Pk	6639-177
	153/Pk	5639-097
	1000/Pk	5639-098



Page 138

STUD DRILL

Description

5/16"

p/n

1639-629



Page 138


TRACK MARKER

Description

Track Marker

p/n

1639-520




Page 138

STUD TEMPLATES

Application

'13 F 800, F 1100, F 1100 Turbo 129" 2.86 P (2-Ply)	6639-143
'12-'13 F5, F570; '12 F 800, F 1100, F 1100 Turbo; '11-'13 Sno Pro 500; '07-'11 F Series; '09-'11 CFR, Z1 128" 2.52 P (2-Ply)	4639-443
'12-'13 XF 800 LXR, XF 800 Sno Pro, XF 1100 LXR, XF 1100 Sno Pro (Inc Turbo); '09-'11 CF 141" (Single-Ply)	4639-991
'08-'13 T570, TZ1, TZ1 LXR; '10-'11 Z1 Turbo EXT; '11 F8 EXT 144" (2-Ply)	5639-160
'11-'13 BC XT 154" (Single-Ply)	5639-609
'09-'10 BC XT 156" (2-Ply); '10-'13 BC 570 151" (Single-Ply)	5639-461
'09 F Series Sno Pro, Z1 Turbo LXR, Sno Pro; '10 Sno Pro 500 128" (Single-Ply)	5639-428
'06-'08 CF 136" (2-Ply)	4639-344
All Purpose 15" X 121" Tracks (2-Ply)	4639-488
All Purpose 13.5" Tracks (2-Ply)	3639-589



Page 138

TUNNEL PROTECTOR KIT

Required when installing studs on the models listed below. On liquid-cooled models not listed, the heat exchanger acts as a tunnel protector. Be sure not to install studs in line with the heat exchanger.

Application	Color	p/n
'13 F 800, F 1100, F 1100 Turbo	Black	6639-075
'12 F 800, F 1100, F 1100 Turbo	Black	6639-178
'13 XF 800, XF 1100, XF 1100 Turbo	Black	6639-118
'12 XF 800, XF 1100, XF 1100 Turbo	Black	6639-179
'12-'13 M 800 HCR, M 1100 Turbo HCR	Black	6639-207
'09-'11 CF, CFR	4639-968	
'08-'13 F570, T570; '09-'13 BC 570	4639-771	
'09-'13 BC Z1 XT	5639-143	
'06-'08 CF	4639-338	

■NOTE: '12-'13 XF Sno Pro models with 1.60" track require Tunnel Protector kit 6639-118 or 6639-179. The wearstrips used in these kits have a taller profile for additional heat exchanger protection.



SHORT SNOWFLAP

Required when installing studs on the models listed below.

Application	p/n
(A) '09-'11 CF	5639-232
(B) '07-'08 JR; '07-'09 F Series; '09 Z1, Z1 Turbo	4706-462

General Maintenance



Page 139

SLED LIFT


Maximum lift capacity 625 lbs.

Description

- (A) Sled Lift (Ship wt. 65 lb)
- (B) Wheel Kit (Ship wt. 15 lb)
- Replacement Jack

p/n

- 4639-992
- 4639-993
- 5639-926



Page 139

CAT CADDY

Set of 3.

Description

- (A) Plastic - Black
- (A) Plastic - Green
- Replacement Wheel - Push-in (Each)
- (B) Aluminum - Black
- Replacement Wheel - Threaded (Each)

p/n

- 5639-873
- 5639-874
- 0641-264
- 4639-766
- 0641-535



Page 139

SLED SLIDES

Set of 3.

Description

- Steel - Green

p/n

- 5639-579



Page 139

JACK STAND

Description

33" High

p/n

4639-768



Page 140


FRONT END LIFT

Description

Front End Lift

p/n

5639-151



Page 140

HANDLEBAR STAND

Description

- (A) Handlebar Stand
- (B) Steering Post Stand

p/n

5639-152
5639-946



Page 140

SHOP DOLLY

Added freight charges may apply.

Description

Shop Dolly
(Shipping: 46L x 25W x 11H, 70 lb)
Replacement Strap
Replacement Wheel (Each)

p/n
5639-373
5639-446
5639-514



Page 141

A. STANDARD TIE-DOWNS

1" x 69", 1,000-lb Rating

Sold in pairs.

Description

Black
Green

p/n
5639-411
5639-415

B. DELUXE TIE-DOWNS

1.125" x 78", 1,200-lb Rating

Sold in pairs.

Description

Black

p/n
5639-423


C. RATCHET TIE-DOWNS

1.125" x 102" 1,200-lb Rating. Sold in pairs.

Description

Black

p/n
5639-424



Page 141

A. TOW STRAP

Description

Tow Strap

p/n
4639-247

B. TOW ROPE

Description

Tow Rope

p/n
0636-577



Page 141

HEATED SHIELD ADAPTER

Description

Models with accessory outlet

p/n
5639-645



Page 141

TOOL BAG

Description

Tool Bag

p/n
5639-834



Page 141

RACING TAPE

2" x 60-yd. rolls.

Description

Black
Green
Orange

p/n
4639-579
4639-580
5639-103



Page 141

TOUCH-UP PAINT

Description	Application	1/2 oz.	12 oz.
Hood Paint			
Black (Gloss)	Black Hoods	0652-100	0652-022
Black (Flat)	'13 F, M, XF, TZ1, TZ1 Turbo, BC Z1 XT LTD	0652-187	0652-188
Apple Green Metallic	'10 F Series LE, TZ1 Turbo LE, Z1 Turbo LE	0652-152	0652-153
Cat Green	'00-'04 ZR; '01-'04 Z; '03-'04 FC; '04 MC	0652-099	0652-067
Copper	'09 F Series LE, TZ1 Turbo LE, Z1 Turbo LE	0652-139	0652-140
Desert Red Metallic	'11-'12 TZ1 LXR, TZ1 Turbo LXR, BC Z1 XT LTD	0652-160	0652-161
Navy Blue	'10 TZ1 LXR, TZ1 Turbo LXR	0652-154	0652-155
Orange * (Top Coat)	'04-'06 KC; '05-'06 FC; '06-'07 Z; '05-'08 M; '06-'08 CF; '07-'08 F Series; '11 CF SP	0652-105	0652-106
Pearl Cat Green	'05-'06 FC, SC, Z, ZR; '05-'07 M; '06-'07 CF; '09-'11 M8 HCR	0652-115	0652-117
Pearl White (Top Coat)***	'12 F, M, XF LTD	0652-175	0652-176
Pearl White (Base Coat)	'12 F, M, XF LTD	0652-181	0652-182
Sublime Green**	'11 M8 LTD, CF LTD, F8 LTD, Z1 Turbo LTD	0652-164	0652-165
White Metallic * (Top Coat)	'08-'11 M Series SP; '11 CFR, TZ1 LXR, TZ1 Turbo LXR	0652-133	0652-134
Gold Metallic	(Top Coat)	0652-173	0652-174
White	(Base Coat)	0652-119	0652-120
Clear	(Top Coat) (12-oz. Overspray Leveler)	0652-109	0652-166

* Metallic Top Coat only. You must first apply White (Base Coat) before applying color.

** Sublime Green (Base Coat) requires the use of Gold Metallic Top Coat.

*** Metallic Top Coat only. You must first apply Pearl White (Base Coat) before applying color.

Metal Paint		1/2 oz.	12 oz.
Black	Metal Parts	0652-110	0652-024
Cat Green	'98-'11	0652-111	0652-077
Orange	'08-'13	0652-141	0652-142
Orange Metallic (Top Coat)****	'12 F, M, XF LTD	0652-183	0652-184
Orange Metallic (Base Coat)	'12 F, M, XF LTD	0652-179	0652-180
Pearl Cat Green	'08-'13	0652-144	0652-145
Pearl White (Top Coat)***	'12 F, M, XF LTD	0652-177	0652-178
Pearl White (Base Coat)	'12 F, M, XF LTD	0652-181	0652-182
Platinum	'02-'11	0652-112	0652-096
White	'13 F, M, XF LTD	0652-189	0652-190
Black	High Temp		0652-052

**** Metallic Top Coat only. You must first apply Pearl White (Base Coat) before applying color.

***** Metallic Top Coat only. You must first apply Orange Metallic (Base Coat) before applying color.

■NOTE: Models not listed have non-paintable, color-molded plastic.

Oil & Care

■ NOTE: Visit www.arcticcatlubricants.com for more oil information.

2013 MODEL YEAR SNOWMOBILE OIL APPLICATION CHART

Model	0W-40	APV	Formula SS	Formula 50	Capacity
120	X				20.3 U.S. oz
Sno Pro 500		X	X	X	2.75 U.S. Qt
Bearcat 570/ F570/T570				X	4.2 U.S. Qt
Bearcat 570 XT				X	4.8 U.S. Qt
F 800/M 800/XF 800 Models		X	X		3.9 U.S. Qt
F 1100/M 1100/ XF 1100 Models	X				3.28 U.S. Qt
Bearcat Z1/TZ1 Models	X				4.0 U.S. Qt



Page 142

APV SYNTHETIC OIL

Our APV Synthetic Oil stands alone as the best, most performance oriented lubrication that could possibly be put through your sled. The best oil for the dollar guarantees flawless engine operation.

Description	p/n
Quart	4639-349
Gallon	5639-469
2.5 Gallon	4639-347
16 Gallon Drum	2639-510
16 Gallon Drum (50th Anniversary)	5639-908
55 Gallon Drum	2639-509



Page 142

FORMULA SS SEMI-SYNTHETIC OIL

Formula SS Semi-Synthetic 2-cycle oil offers the benefits of a semi-synthetic formulation at a phenomenal value. Use in ALL Arctic Cat 2-cycle engines, including Arctic Power Valve engines.

Description	p/n
Quart	5639-470
Gallon	5639-471
2.5 Gallon	5639-472
16 Gallon Drum	5639-473
16 Gallon Drum (50th Anniversary)	5639-909
55 Gallon Drum	5639-474



Page 142

FORMULA 50 OIL

Mineral based 50:1 Injection Oil. High quality mineral base formulation, proven performance over time. Provides rust and corrosion protection. Mixes easily with fuel and all other Arctic Cat 2-cycle engine oils.

Description	p/n
Quart	5639-475
Gallon	5639-476
2.5 Gallon	5639-477
16 Gallon Drum	5639-478
16 Gallon Drum (50th Anniversary)	5639-910
55 Gallon Drum	5639-479



Page 143

SYNTHETIC OW-40 OIL

Unique synthetic formulation designed and tested for use in Arctic Cat 4-Cycle Snowmobiles. Premium additive system provides superior cleanliness, anti-wear protection, and minimizes deposit formations.

Description	p/n
Quart	5639-172
Gallon	5639-173
16 Gallon Drum	5639-912
16 Gallon Drum (50th Anniversary)	5639-911
55 Gallon Drum	5639-175



Page 143

SYNTHETIC OIL CHANGE KIT

Application	p/n
'07-'12 1100 cc Models (Includes Turbo)	5639-174



EMPTY DRUM

Application
16 Gallon (50th Anniversary)

p/n
5639-907



SYNTHETIC CHAIN LUBE

Description
8 oz.
12 oz.
2.5 gallon

p/n
5639-038
5639-039
6639-117



ARCTIC CAT CHAIN LUBE

Description
8 oz.
12 oz.
2.5 Gallon

p/n
4639-363
4639-364
1639-247



Page 144

SYNTHETIC ACT GEARCASE FLUID

Description
3 oz. ACT Non-Reverse
12 oz. ACT w/Reverse
15 oz. ACER (Engine) Reverse
Gallon

p/n
4639-361
4639-628
5639-219
5639-632

■NOTE: ACT Drive Gasket Sets (See pg. 68)



Page 144 ACT FLUSH FLUID

Description
6 oz.
Gallon

p/n
4639-333
5639-847



Page 144 SYNTHETIC SHOCK OIL

Description
Lt Wt - Quart
Med/Lt Wt - Quart
Med Wt - Quart

p/n
4639-367
4639-369
4639-368



Page 144 SEMI-SYNTHETIC SHOCK OIL

Description
Quart

p/n
5639-530



Page 144 ARCTIC CAT SHOCK OIL

Description
Quart

p/n
4639-366



Page 145

ARCTIC CAT ANTIFREEZE

Description
Gallon

p/n
0436-909



Page 145

FUEL DE-ICER

Description
12 oz.

p/n
0436-906



Page 145

FUEL STABILIZER

Description
8 oz.

p/n
0436-907



Page 145

DOT 4 BRAKE FLUID

Description
12 oz.

p/n
5639-848



Page 145

FUEL INJECTOR & CARBURETOR CLEANER

Description
12 oz.

p/n
0436-904



Page 145

ENGINE PRESERVER

Description
12 oz.

p/n
0436-888



FOX FLOAT FLUID

Specially made for use in the air chamber of FOX FLOAT Air Shox.

Description
8 oz.

p/n
4639-012



Page 145

ARCTIC CAT ALL-TEMP GREASE

Description

14 oz.

p/n

4639-365

MISCELLANEOUS GREASE

Description

Throttle Cable Lube .5 oz.
Electric Start 2 cc
High Temperature .5 oz.
Dielectric 2.7 oz.

p/n

1056-053
1056-272
1056-077
1056-287



Page 145

CAT CLEANER

Description

22 oz.

p/n

4639-371



Page 145

HOOD & WINDSHIELD CLEANER/POLISH

Description

8 oz.

p/n

4639-559



CHAIN LUBRICANT

Description

12 oz.

p/n

0436-903



HIGH OCTANE RACE FUEL

Description

110 Octane Race Fuel

16 Gallon Drum
55 Gallon Drum

p/n

2639-098
2639-097

116 Octane Race Fuel

16 Gallon Drum
55 Gallon Drum

p/n

3639-620
3639-621

DRUM PUMP (NOT SHOWN)

Application

16 to 55 Gallon Drums

p/n

1639-249



VEHICLE WASH/CLEANER

Description

Gallon
5 Gallon
30 Gallon

p/n

4639-631
4639-630
4639-629



ALL PURPOSE CLEANER

Description

Gallon
5 Gallon
30 Gallon

p/n
4639-634
4639-633
4639-632



HEAVY DUTY CLEANER/DEGREASER

Description

Gallon
5 Gallon
30 Gallon

p/n
4639-637
4639-636
4639-635



LEATHER CLEANER/CONDITIONER

Description

Leather Cleaner/Conditioner

p/n
4912-051



LEATHER WATER REPELLENT

Description

Leather Water Repellent

p/n
4912-052



REVIVEX WATER & STAIN REPELLENT

Description

Revivex Water & Stain Repellent

p/n
4201-280



WATER/STAIN REPELLENT

Description

Water/Stain Repellent

p/n
4912-152

Misc Accessories



Page 146

CTEK BATTERY MAINTAINER

Description

12V 800 mA (Includes leads A, B, & D on this page)

p/n

5639-418



Page 146


CTEK BATTERY CHARGER/MAINTAINER

Description

12V 3.3 amp (Includes leads A, B, & D on this page)

p/n

5639-419



Page 146

CTEK BATTERY LEADS

NOTE: Comfort Indicators feature a three LED battery condition indicator.

Description

- (A) Ring Terminals
- (B) Alligator Clips
- (C) Outlet
- (D) Style 21 Adapter
- (E) Comfort Indicator - Ring Terminals
- (F) Comfort Indicator - Style 21

p/n

5639-420
5639-421
5639-422
5639-484
5639-485
5639-397



YUASA BATTERY MAINTAINER

Description

12V 900 mA

p/n

4639-998



YUASA BATTERY LEADS

Description

- (A) Ring Terminals
- (B) Alligator Clips

p/n

5639-162
5639-163




ACCESSORY ADAPTER

Description

- 2-Outlet
- 3-Outlet

p/n

1639-623
1639-624




DRIVE BELT HOLDER

Description

Drive Belt Holder

p/n

0636-659



SPARK PLUG HOLDER

Description
Plug Holder

p/n
4639-549



SPARK PLUG CADDY

Description
Green

p/n
1639-618



TEMPERATURE GAUGE

Application
'99-'07 LC Models Except CF, F, FC, JR, M, SC, 4-Stroke

p/n
1639-217




HANDLEBAR RISER KIT

Fits '07-'11 F Series Sno Pro; '09-'11 CFR, Z1

Description
4"
5"
6"

p/n
4639-599
4639-600
4639-601



HANDLEBAR RISERS

Fits '02-'06 ZR; '03-'06 FC; '07-'11 F Series (Std)

Description

	p/n
2.44"	0605-514
3.00"	0605-884
4.44"	0605-513
5.44"	0605-491
6.44"	0605-512

■NOTE: If 6.44" Riser Block (p/n 0605-512) is used on an '05-'06 FC with ACT Drive, it is necessary to install a longer Brake Line (p/n 1602-588).



RAIL BRACE KIT

Includes RH & LH rail braces and mounting hardware.

Application

'12-'13 M 153" & 162", XF 141"

'12-'13 M HCR 153"
'12-'13 M HCR 162"
'09-'11 M Series 153"

Color	p/n
Black	5639-981
Orange	5639-982
Unpainted	5639-983
Unpainted	5639-997
Unpainted	6639-086
Unpainted	5639-242

SPEEDOMETER/TACHOMETER

Application

'12 Sno Pro 600
'08-'11 Sno Pro 600

p/n
5639-993
4639-960



HEAVY-DUTY HANDLEBAR

Includes grips and heating elements.

Application

Heavy-Duty .095 Wall (14 ga)

'05-'12 Sno Pro

Color
Black
Green

1705-451
1705-155

Standard .083 Wall (13 ga)

'05-'12 Sno Pro

Color
Black
Green

1705-450
1705-042

THROTTLE LIMITER KIT, 50%

Application	p/n
'10-'13 Sno Pro 500	0709-088
'08-'12 Sno Pro 600	1705-359

ALUMINUM THROTTLE BLOCK

Application	p/n
'10-'13 Sno Pro 500	0709-084



THROTTLE LEVER BOLT KIT

Fits models with aluminum throttle block.

Application	p/n
'05-'10 Sno Pro 600	4639-336



WHEEL KITS

Application	p/n
'12-'13 F 800, F 1100, F 1100 Turbo (Two 5.63" Wheels w/Mounts)	6639-184
'12-'13 F 800, F 1100, F 1100 Turbo (Four 5.35" Wheels w/o Mounts)	6639-196
'13 F 800, F 1100, F 1100 Turbo (Eight 5.35" Wheels, four Mounts)	6639-185
'12 Sno Pro 600 (Four 5.63" Wheels w/Mounts)	5639-995
'08-'11 Sno Pro 600 SX (Four 5.63" Wheels w/Mounts)	4639-964



SWAY BAR KITS

■ NOTE: '11-'13 Sno Pro 500 and '12 Sno Pro 600 require a Sway Bar Mounting Kit.

Application	p/n
'09-'13 BC 570 XT; '10-'13 BC Z1 XT	5639-441
'09-'13 BC 570	5639-200
'99-'07 PA, Z; '06-'08 BC	4639-322
'10-'13 Sno Pro 500	11.7 mm 4639-961 12.7 mm 4639-962 14.3 mm 4639-963
'12 Sno Pro 600	11.1 mm 5639-998 12.7 mm 5639-999

SWAY BAR MOUNTING KIT


Application	p/n
'10-'13 Sno Pro 500	5639-635
'12 Sno Pro 600	6639-001



HOOD LATCH REPAIR KIT

Includes two pins.

Application	p/n
'05-'11 CF, CFR, M Series	5639-498



SPLIT AIRBOX KIT

Two-piece design provides easier access to engine components.

Application	p/n
'07-'08 JR; '08-'11 TZ1; '09-'11 BC Z1 XT, Z1	5639-934



SPARK PLUG CAPS

Description	p/n
(A) Silicone Rubber - Black	3006-367
(B) Standard Type - Black	3003-175



NGK® SPARK PLUGS

Arctic Cat ATV and Snowmobile applications in **BOLD**.

Iridium Spark Plugs

Description	p/n	Description	p/n
BR8EIX	0217-735	CR7EIX	0217-734
BR9EIX	0217-729	DR7EIX	0217-736
BR10EIX	0217-804	MR8AI-9	0217-806
CR6EIA-9	0217-733		

Standard Spark Plugs

Description	p/n	Description	p/n
AB7	0217-728	BR9ECS-5	0217-786
AB8	0217-808	BR9ES (SCREW CAPS)	0217-035
B2LM	0217-778	BR9ES (SOLID CAPS)	0217-700
B4LM	0217-770	BR9EYA	0217-709
B6L	0217-789	BR9HS-10	0217-756
B6S	0217-765	BR10ES (SOLID CAPS)	0217-634
B7HS	0217-044	BR10EYA	0217-714
B8ES	0217-029	BU8H	0217-744
B8HS	0217-043	BUHW	0217-751
B9ES	0217-015	BUHW-2	0217-750
B9HS-10	0217-791	CMR7A	0217-776
BKR6EKU	0217-793	CPR8E	0217-799
BM7A	0217-781	CR6E	0217-632
BMR4A	0217-767	CR6HS	0217-792
BMR6A	0217-753	CR6HSA	0217-725
BP4HS	0217-761	CR7E	0217-708
BP5HS	0217-783	CR7HS	0217-788
BP8H-N-10	0217-746	CR7HSA	0217-726
BPM6A	0217-763	CR8E	0217-705
BPM7A	0217-749	CR8EK	0217-711
BPM7Y	0217-764	CR9E	0217-738
BPM8Y	0217-752	CR9EH-9	0217-766
BPMR4A	0217-772	CR9EK	0217-755
BPMR6A	0217-773	CR10EK	0217-787
BPMR7A	0217-741	D7EA	0217-795
BPR2ES	0217-747	D8EA	0217-796
BPR4ES	0217-809	D8HA	0217-794
BPR4HS	0217-785	D9EA	0217-784
BPR5ES	0217-704	DCPR6E	0217-779
BPR5HS	0217-702	DCPR7E	0217-717
BPR6ES	0217-807	DCPR8E	0217-774
BPR6EFS	0217-748	DP8EA-9	0217-782
BPR6HS	0217-777	DPR6EA-9	0217-754
BPR7HS	0217-716	DPR7EA-9	0217-730
BPR9ES	0217-762	DPR8EA-9	0217-737
BPZBH-N-10	0217-769	DPR8Z	0217-775
BPZHS-10	0217-757	DPR9EA-9	0217-790
BR6FS	0217-742	DR7EA	0217-713
BR6HS	0217-027	DR8EA	3304-919
BR7ES	0217-745	DR8ES	0217-771
BR7HS	0217-768	DR8ES-L	0217-740
BR7HS-10	0217-758	IZFR5G	0217-759
BR8ES (SCREW CAPS)	0217-034	KR8AI	0217-719
BR8ES (SOLID CAPS)	0217-701	LFR5A-11	0217-760
BR8HS	0217-739	LFR6A-11	0217-780
BR8HS-10	0217-743	PZFR6H	0217-641



FUEL PUMP REPAIR KITS

Description	p/n
Rectangular Mikuni	0636-272
Round Mikuni	0636-276
Square Mikuni	0636-640
Pentagon Mikuni	1639-191
ATP 2/3	2639-095

SILICONE GASKET MAKER

Excellent for sealing around belly pan area and air box seams.

Description	p/n
Ultra Black Silicone Gasket Maker 70 ml	1639-834

HIGH TEMP SILICONE SEALANT

This sealant is recommended for sealing exhaust flanges, gaskets and crankcase halves of all Arctic Cat liquid-cooled engines.

Description	p/n
High Temperature Silicone 90 ml	0636-069

LOCTITE

Description	p/n
Loctite 242 Blue 10 ml	1639-814
Loctite 242 Blue 50 ml	1639-815
Loctite 263 Red 10 ml	5639-901
Loctite 263 Red 50 ml	5639-902
Loctite 271 Red 10 ml	1639-819
Loctite 271 Red 50 ml	1639-820
Loctite 290 Green Wicking 10 ml	1639-823
Loctite 290 Green Wicking 50 ml	1639-824
Loctite 609 Green Retaining 50 ml	1639-821
Loctite 620 Green Ret Hi Temp 10 ml	1639-826
Loctite 620 Green Ret Hi Temp 50 ml	1639-822

HANDLEBAR GRIP ADHESIVE

Description	p/n
Loctite 498 1 oz.	1048-058
Grip-It Glue 1 oz.	0441-510

CRANKCASE SEALANT

This sealant is recommended for sealing all Arctic Cat fan-cooled engine crankcase halves.

Description	p/n
Three-Bond Gasket Sealant	0636-070

CRANKCASE SEALANT

This sealant is recommended for Arctic Cat 2-Stroke liquid-cooled and 4-Stroke engines.

Description	p/n
Sealant, 100 gram tube	1048-070



GASKET SETS

Application

340 F/C Twin	'79-'00	0636-128
370 F/C Twin	'99-'08	1639-123
440 F/C Twin (Except those listed below)	'97-'06	0639-441
440 F/C Twin ('99 Z 440; '00-'03 Z 440 Sno Pro)	'99-'03	1639-605
440 F/C Twin	'80-'96	0636-095
440 L/C Twin	'90-'00	0636-635
440 L/C Twin (ZR)	'78-'89	0636-096
440 L/C Twin (Prowler Special)	'93-'95	0636-884
440 L/C Twin w/Reed	'91-'92	0636-884
500 F/C Twin (56 H.P.)	'97-'00	0639-224
500 F/C Twin (48 H.P.)	'86-'91	0636-093
500 L/C Twin, Non-APV "Laydown" (Sno Pro)	'85-'87	0636-094
500 L/C Twin, APV "Laydown"	'04-'13	3639-539
500 L/C Twin, APV	'03-'06	2639-972
500 L/C Twin, Non-APV	'01-'02	1639-988
530 L/C Twin	'98-'02	0639-115
550 L/C Twin	'87-'91	0636-097
570 F/C Twin	'86	0636-183
580 L/C Twin	'80-'85	0636-098
600 L/C Twin, APV "Laydown"	'91-'05	0636-812
600 L/C Twin, APV	'02-'13	2639-147
600 L/C Twin, Non-APV	'91-'04	0636-812
600 L/C Triple, APV	'04-'09	3639-538
600 L/C Triple	'01-'03	1639-989
650 L/C Twin	'98-'02	0639-115
660 L/C Triple (4-Stroke)	'01-'02	1639-990
660 L/C Triple (4-Stroke) Turbo	'95-'00	0638-938
700 L/C Twin, APV "Laydown"	'88-'90	0636-409
700 L/C Twin	'03-'08	3006-944
800 L/C Twin, APV "Laydown" (Power Up)	'02	3006-296
800 L/C Twin, APV	'05-'07	3006-961
800 L/C Triple	'04	3006-759
900 L/C Twin, APV	'03-'06	2639-973
900 L/C Triple	'91-'96	0636-813
1000 L/C Twin, APV "Laydown"	'99-'00	
1000 L/C Triple	'10-'13	5639-520
1100 L/C Twin (4-Stroke)	'07-'09	4639-664

ACT DRIVE GASKET SETS


Application

CF, M Series	'08	2602-267
F Series	'07	2602-191
	'07-'08	2602-192

ACT DRIVE CASE SEALANT

This sealant is recommended for ACT drive cases.

Description	p/n
Sealant, 70 ml	1048-063



CHOKE LEVER REPAIR KIT

Description

Single or Dual Carburetor
Triple Carburetor
'01-'02 Triple Models

p/n
0636-062
0638-630
1639-835



TRACK CLIP TOOL

Description

Track Clip Tool

p/n
0644-194



OVERLOAD SPRING TOOL

Description

Overload Spring Tool

p/n
0744-022

FOX SHOCK REBUILD KITS

Description

IFP Shock
Front Arm Adjustable Shock
Clicker Shock
Float w/o Reservoir
Float w/Reservoir

p/n
1639-769
1639-770
1639-771
2604-796
2603-498



DRIVE CLUTCH SPRING

Provides smoother, lower RPM clutch engagement.

Description

'10-'12 800 cc Models

p/n
0646-252



TUNNEL UPGRADE KIT

Converts '12 F and XF models to a '13 style flat-top tunnel. Includes rear tunnel, bumper, taillight housing, and snow-flap.

Application

'12 F 800, F 1100, F 1100 Turbo

Color p/n

Unpainted	0637-387
Black	0637-388
Pearl White	0637-389
Unpainted	0637-391
Black	0637-392
Pearl White	0637-393

'12 XF 800, XF 1100, XF 1100 Turbo



DEEP SNOW KIT

Reinforces the side panel and belly pan to reduce snow ingestion.

Application

'12 F 800, F 1100, F 1100 Turbo, M 800, M 800 HCR, M 1100, M 1100 Turbo, M 1100 Turbo HCR, XF 800, XF 800 HC, XF 1100, XF 1100 Turbo, XF 1100 Turbo HC

p/n

0637-379



HAND WARMER KIT


Includes external hand warmer elements, wiring, and switch.

Application

'01-'13 120 Models

p/n

2639-019



WHEEL KITS

Description

(A) Ski Wheel Kit
(includes two 8-in. wheels and mounting hardware)
(B) Rear Suspension Wheel Kit (Black)
(includes six idler wheels and mounting hardware)

Year p/n

'01-'13 1639-795

'01-'13 5639-346



HEAVY DUTY SHOCK KIT

Includes two shock assemblies with springs.

Application

'01-'05 120 Models

p/n

4639-137

Helmet and Neck Brace Parts



TXI



EYEPORT FOAM PIECE

Description

'02-'13

5/8"

p/n

4212-292



A



B

A. CHIN CURTAIN

Description

Chin Curtain

p/n

4212-290

B. CHIN VENT

Description

Chin Vent

Chrome Chin Vent

p/n

4222-801

4252-032



SIDE AND TOP VENT COVER KIT

Description

Vent Cover Kit

Chrome Vent Cover Kit (Side Vents Only)

p/n

4222-800

4252-033



RATCHET KIT

Description

Ratchet Kit

Shield Screws Only (10/pkg)

p/n

4212-919

4212-801



A



B

A. SHIELD

Description

Clear

Smoke

Yellow

Silver Mirror

Chrome Frame/Clear

Chrome Frame/Smoke

Chrome Frame/Yellow

Chrome Frame/Silver Mirror

p/n

4212-845

4212-846

4212-847

4222-740

4232-880

4232-881

4232-882

4232-883

B. ELECTRIC SHIELD KIT

Description

Electric Shield Kit

Replacement Elec. Coil Cord

Replacement Elec. Dash Cord

Accessory Ext. Harness - 24"

Replacement Elec. Shield Only

Electric Shield Cord Converter (PFP coil cord to TXi dash)

p/n

4212-848

4202-922

4202-923

1686-457

4212-849

4222-510

4222-511



VISOR

Description

Black

Chrome

Visor Screws Only (12/pkg)

p/n


4212-101

4232-884

4222-803



PFP & PFP YOUTH



A. BREATH DEFLECTOR

Description
Breath Deflector

p/n
4982-765

B. CHIN VENT

Description
Chin Vent

p/n
4992-735

C. RATCHET KIT

Description
Ratchet Kit
Shield Screws Only (Metal Thread) 10/pkg

p/n
4912-122
4212-801



A. SHIELD

Description
Clear
Smoke
Amber/Yellow

p/n
4212-810
4212-811
4212-812

B. ELECTRIC SHIELD KIT

Description
Electric Shield Kit
Replacement Electric Coil Cord
Replacement Electric Dash Cord
Replacement Electric Shield Only
Electric Shield Cord Converter (PFP 2011 coil cord to TXi dash)
Electric Shield Cord Converter (TXi coil cord to PFP 2011 dash)
Accessory Ext. Harness - 24"

p/n
5222-500
4202-922
4202-923
5222-501
4222-510
4222-511
1686-477



PFP II



RATCHET KIT

Description
Ratchet Kit
Shield Screws Only (10/pkg)

p/n
4982-762
4212-801



A. SHIELD

Description
Clear
Smoke

p/n
4972-463
4972-464



TEAM ARCTIC (Model Moto X)

A. VISOR

Description
Black
Team Arctic Green Graphics (2013)
Team Arctic Black Graphics (2013)
Team Arctic Orange Graphics (2013)

p/n
5212-601
5232-390
5232-370
5232-380

B. BREATH DEFLECTOR

Description
Breath Deflector

p/n
5212-599



ATV OPEN FACE



VISOR

Description	p/n
Visor	4208-239



VISOR (2005-2011)

Description	p/n
Visor	4258-009



SNO-CROSS SNO PRO (Model Pro-X)

VISOR

Description	p/n
Black	5212-600
Sno Pro Orange Graphics (2013)	5232-400
Sno Pro Black Graphics (2013)	5232-360
Vent, Mouth	5232-409



SNO/ATV MX (Model 555)

A. VISOR


Description	p/n
Black	4242-950
Chrome	4252-017
Flat Black	4282-920
Visor Screws (10/pkg)	4212-801

B. FRONT VENT

Description	p/n
Front Vent	4242-951

C. TOP VENT COVER

Description	p/n
Top Vent Cover	4242-953



A. WINDGUARD


Description	p/n
Windguard	4242-954

B. TAILLIGHT

Description	p/n
Taillight	4242-952



CROSSTEC

A**B**

FRONT & REAR LED LIGHT

Description

- (A) Front Light Assy
- (B) Rear LED Light Assy
- (B) Rear Light Cover

p/n

- 4262-900
- 4262-901
- 4262-902



FRONT LIGHT LENS

Description

- Front Light Lens
- Light Button

p/n

- 4282-904
- 4282-903



MIC & SPEAKERS

Description

- VRE Mic. Assy
- VRE Mic. Foam Assy
- Headset Speaker (Each)

p/n

- 4262-903
- 4262-904
- 4262-905



SHIELD

Description

- (C) Electric Shield Kit ('02-'09)
- (C) Electric Shield Only ('02-'09)
 - Electric Shield Coil Cord (Not Shown)
 - Electric Shield Power Cord (Not Shown)
 - Accessory Ext. Harness - 24"
- (A) Magnetic Power Cord
- (B) Crosstec/TXI Retrofit Headset Electric Shield Cord
 - Clear Replacement Shield
 - VRE Headset Electric Shield Cord (Not Shown)
- (D) Sun Shield - Smoke
- (D) Sun Shield - Yellow
- (D) Sun Shield - Orange
- Sun Shield Knob w/screw (Not Shown)

p/n
4282-869
4282-865
4202-922
4202-923
1686-457
4262-907
4262-716
4282-859
4262-717
4262-713
4262-714
4262-715
4272-997



BREATH DEFLECTOR

Description

- Breath Deflector (XS-M)
- Breath Deflector (L-2XL)

p/n
4282-860
4282-861



RATCHET KIT

Description

- (A) Ratchet Kit
 - Ratchet Disc Set
- (B) Aluminum Shield Screws (Pair)
- (C) Top Ratchet Bar

p/n
4262-911
4282-901
4262-910
4282-902



CHIN CURTAIN

Description

- (A) Chin Curtain
- (B) Extended Chin Curtain

p/n

4262-912
4282-900





VISOR

Description

- Visor - Black (2007-2009)

p/n

4272-999



CHINBAR

Description

- (A) Replacement Chinbar
- (B) Chinbar Lock Plate

p/n

4272-998
4282-223



CHIN PAD

Description

- Chin Pad

p/n

4262-933



VRE MUSIC ADAPTER CORD


Description

- (A) Adapter Cord
- (B) Cat Comm MP3/Satellite Radio Cord - 80"

p/n

4262-906
4292-950

Arctic Cat Neck Brace



Parts/Components List		QTY
1	BHCS M4 18	2
2	Serrated Washer	2
3	Front Top Plastic	1
4	Front Top Screwplate	2
5	M3 Bolt	2
	Front Lower Plastic	
7	5232-812 / 5232-813	1
8	5232-808 / 5232-809 / 5232-810 / 5232-811	2
9	5232-808 / 5232-809 / 5232-810 / 5232-811	6
10	5232-808 / 5232-809 / 5232-810 / 5232-811	5
11	5232-814 / 5232-815	2
12	5232-814 / 5232-815	2
13	5232-814 / 5232-815	2
14	5232-814 / 5232-815	1
15	5232-814 / 5232-815	2

Parts/Components List		QTY
16	5232-814 / 5232-815	4
17	5232-814 / 5232-815	1
18	5232-816	1
19	5232-816	1
20	5232-816	2
21	5232-814 / 5232-815	1
22	5232-812 / 5232-813	1
23	5232-807	2
24	5232-807	2
25	5235-807	2
26	5232-807	2
27	5232-807	2
28	5232-807	2
29	Front Screw Plate	1

High Altitude Kits

Models	Altitude	p/n	Components
F570	5-9,000 ft.	5639-489	(2) 6505-029 Pilot Jet 35 (3) 0746-695 Cam Arm 67g ** (1) 0748-700 Torque Bracket - 36° *
T570	Over 9,000 ft.	5639-490	(2) 6505-029 Pilot Jet 35 (3) 0746-670 Cam Arm 65g ** (1) 0748-700 Torque Bracket - 36° *
BC 570			
BC 570 XT	5-9,000 ft.	5639-627	(2) 6505-029 Pilot Jet 35 (3) 0746-669 Cam Arm 60g ** (1) 0748-700 Torque Bracket - 36° *
	Over 9,000 ft.	5639-490	(2) 6505-029 Pilot Jet 35 (3) 0746-669 Cam Arm 60g ** (1) 0748-700 Torque Bracket - 36° *
BC Z1 XT	5-9,000 ft.	5639-935	(3) 0746-828 Cam Arm ** - 57g
	Over 9,000 ft.	5639-936	(3) 0746-829 Cam Arm ** - 52g (1) 0646-433 Clutch Spring - Gold Stripe - 75/275 lb
BC Z1 XT GS	Over 9,000 ft.	5639-937	(3) 0746-828 Cam Arm ** - 57G (1) 0646-433 Clutch Spring - Gold Stripe - 75/275 lb
TZ1 (Non Turbo)	5-9,000 ft.	4639-687	(3) 0746-678 Cam Arm 55g ** (1) 0748-662 Torque Bracket - 36° *
	Over 9,000 ft.	4639-639	(3) 0746-663 Cam Arm 52g ** (1) 0748-662 Torque Bracket - 36° *
F800	5-9,000 ft.	5639-973	(3) 0746-671 Cam Arm 70g ** (1) 0748-729 Torque Bracket - 36° *
	Over 9,000 ft.	6639-191	(3) 0746-695 Cam Arm 67g ** (1) 0646-229 Clutch Spring - Yellow/White (1) 0748-757 Torque Bracket - 36° *
F1100 (Non Turbo)	5-9000 ft.	5639-978	(3) 0746-663 Cam Arm 52g **
	Over 9,000 ft.	5639-979	(3) 0746-705 Cam Arm 49g **
SP 500	5-9000 ft.	5639-507	(3) 0746-666 Cam Arm 55g **
	Over 9,000 ft.	5639-508	(3) 0746-661 Cam Arm 52g **
F5 LXR	5-9,000 ft.	4639-639	(3) 0746-663 Cam Arm 52g ** (1) 0748-662 Torque Bracket - 36° *
	Over 9,000 ft.	4639-640	(3) 0746-792 Cam Arm 47g ** (1) 0748-662 Torque Bracket - 36° *
XF800 LXR, SP	3-6,000 ft.	6639-193	(3) 0746-716 Cam Arm 73g ** (1) 0646-229 Clutch Spring - Yellow/White (1) 0748-757 Torque Bracket - 36° *
	6-9,000 ft.	6639-192	(3) 0746-671 Cam Arm 70g ** (1) 0646-229 Clutch Spring - Yellow/White (1) 0748-757 Torque Bracket - 36° *
	Over 9,000 ft.	6639-191	(3) 0746-695 Cam Arm 67g ** (1) 0646-229 Clutch Spring - Yellow/White (1) 0748-757 Torque Bracket - 36° *
XF800 HC	0-3,000 ft.	5639-975	(3) 0746-672 Cam Arm 75g ** (1) 0748-731 Torque Bracket - 42/40 *
	3-6,000 ft.	5639-971	(3) 0746-716 Cam Arm 73g ** (1) 0748-757 Torque Bracket - 36° *
	Over 9,000 ft.	5639-974	(3) 0746-695 Cam Arm 67g ** (1) 0748-757 Torque Bracket - 36° *
XF1100 (Non Turbo)	3-6,000 ft.	5639-977	(3) 0746-674 Cam Arm 55g **
	6-9,000 ft.	5639-978	(3) 0746-663 Cam Arm 52g **
	Over 9,000 ft.	5639-979	(3) 0746-705 Cam Arm 49g **
XF1100 (Turbo)	6-9,000 ft.	5639-980	(1) 0748-747 Torque Bracket - 42/40 *
	Over 9000 ft.	5639-980	(1) 0748-747 Torque Bracket - 42/40 *
M8	0-3,000 ft.	5639-975	(3) 0746-672 Cam Arm 75g ** (1) 0748-731 Torque Bracket - 42/40 *
	3-6,000 ft.	5639-227	(3) 0746-716 Cam Arm 73g **
	Over 9,000 ft.	5639-989	(3) 0746-695 Cam Arm 67g **
M1100 (Non Turbo)	0-3,000 ft.	5639-976	(3) 0746-632 Cam Arm 60g - **
	3-6,000 ft.	5639-977	(3) 0746-674 Cam Arm 55g **
	Over 9,000 ft.	5639-979	(3) 0746-705 Cam Arm 49g **

■NOTE: For more information on the High Altitude Kit Exchange Program, see page 1.

2013 Optional Rear Suspension Springs

Model	Standard Rear Arm Spring	Optional Rear Arm Spring	Spring Type
BC 570, T570, TZ1	1704-146/147	L 1704-678/679 H 1704-360/361	SQUARE SQUARE
F5/F570	1704-504/505	L 1704-576/577 H 1704-710/711	SQUARE SQUARE
F 800 F 1100 RR/Sno Pro	1704-576/577	L 1704-354/355 H 1704-560/561	SQUARE SQUARE
BC XT GS	1704-842/843	L N/A H 1704-384/385	SQUARE SQUARE
BC 570 XT/BC Z1 XT	1704-852/853	L 1704-562/563 H 1704-842/843	SQUARE SQUARE
XF 1100 LXR (141)/ XF 1100 Turbo LXR/XF 800 LXR (141)	2703-502	L 2703-386* H 2704-010*	COIL COIL
Sno Pro 500	1704-382/383	L N/A H 2704-382/383	SQUARE SQUARE
Sno Pro 600 CC	2704-382 R 2704-383 L	L 2704-384/385 H 2704-380/381	SQUARE SQUARE
Sno Pro 600 SC	2704-380 R 2704-381 L	L 2704-382/383 H N/A	SQUARE SQUARE


* Coil over shock

Rear Suspension Spring Selection Chart

This chart was compiled to assist technicians in fine-tuning the Arctic Cat rear suspension when the original springs are not satisfactory and a softer or firmer ride is desired. A longer spring in areas (D) and (E) can be selected if cut off to match the original spring. The replacement spring must match the original spring in areas (D) and (E).

■NOTE: The wire diameter and length of the spring have a large influence over the valving of the shocks.

■NOTE: When installing Springs (p/n 1704-148/149), you must also use the white Plastic Sleeves (p/n 2604-379).



■NOTE: M8, M1100 set up at factory for altitude of 6-9,000 ft.

* w/bearing assembly ** w/set screw

Drive Belt Dimension Chart

BELT P/N	LENGTH	WIDTH
0100-088	43.125 ± .188 inch	1.188 inch
0100-092	43.813 ± .188 inch	1.250 inch
0227-011	44.000 ± .188 inch	1.250 inch
0227-014	45.500 ± .188 inch	1.250 inch
0227-016	45.063 ± .188 inch	1.250 inch
0227-019	43.250 ± .188 inch	1.250 inch
0227-020	46.688 ± .188 inch	1.250 inch
0227-030	43.500 ± .188 inch	1.375 inch
0227-100	45.500 ± .188 inch	1.375 inch
0227-103	43.625 ± .125 inch	1.375 inch
*0627-002	43.625 ± .188 inch	1.375 inch
*0627-004	43.625 ± .188 inch	1.375 inch
*0627-006	43.625 ± .188 inch	1.375 inch
*0627-010	47.750 ± .188 inch	1.375 inch
*0627-011	45.750 ± .188 inch	1.375 inch
*0627-012	47.750 ± .188 inch	1.375 inch
0627-013	49.000 ± .188 inch	1.437 inch
0627-014	49.000 ± .188 inch	1.437 inch
*0627-020	48.071 ± .188 inch	1.406 inch
*0627-021	47.750 ± .188 inch	1.385 inch
*0627-031	47.750 ± .178 inch	1.382 inch
*0627-032	44.570 ± .178 inch	1.448 inch

BELT P/N	LENGTH	WIDTH
*0627-033	50.285 ± .188 inch	1.437 inch
*0627-034	44.024 ± .178 inch	1.448 inch
*0627-035	47.750 ± .178 inch	1.400 inch
*0627-036	45.024 ± .178 inch	1.448 inch
*0627-044	44.706 ± .178 inch	1.448 inch
*0627-045	45.223 ± .178 inch	1.448 inch
*0627-046	45.998 ± .178 inch	1.448 inch
*0627-047	43.547 ± .178 inch	1.448 inch
*0627-048	46.986 ± .178 inch	1.448 inch
*0627-049	48.162 ± .178 inch	1.448 inch
*0627-059	48.162 ± .178 inch	1.448 inch
**0627-060	45.998 ± .178 inch	1.448 inch
*0627-067	45.394 ± .178 inch	1.406 inch
*0627-069	42.953 ± .178 inch	1.406 inch
*0627-070	44.250 ± .178 inch	1.448 inch
***0627-073	43.547 ± .178 inch	1.448 inch
**0627-075	44.250 ± .178 inch	1.448 inch
**0627-076	43.547 ± .178 inch	1.448 inch
*0627-081	46.378 ± .178 inch	1.448 inch
***0627-082	46.259 ± .178 inch	1.448 inch
**0627-083	47.519 ± .178 inch	1.448 inch
***0627-084	47.519 ± .178 inch	1.448 inch
***0627-085	48.149 ± .178 inch	1.448 inch

*High Performance **Improved Compression Resistance; Improved Heat Resistance ***Best Compression Resistance; Best Heat Resistance

■ NOTE: The difference between a * drive belt and a ** drive belt of the same dimension is hardness. A ** drive belt is more flexible and if used in place of a * drive belt, the engine will run at a lower RPM.

Promotional Products



ARCTIC CAT SHOPPING BAGS

Frosted poly bag featuring custom Arctic Cat logo. Available in three sizes.

Description	p/n
Frosted Poly Shopping Bags — Pkg. Qty. 100	
12" x 15" Bag	4024-100
18" x 18" Bag	4024-101
25" x 28" Bag	4024-102



GIFT BAGS & TISSUE (SOLD SEPARATELY)

Soft white gift bag with black Arctic Cat logo. Lime green tissue paper also available. Gift Bags available in three sizes.

Description	p/n
Gift Bags — Pkg. Qty. 50	
8" x 10" x 4" — Small	4294-000
20" x 16" x 6" — Large	4294-002



PENCIL

Description	p/n
Pencil — Pkg. Qty. 10 Black w/Arctic Cat logo - #2 Pencil	5293-817



PEN

Description	p/n
Pen — Pkg. Qty. 10 Lime Plastic w/Black Logo - Ball-Point Pen w/Clip - Black Ink	5239-816



BALLOONS

Description	p/n
Balloons — Pkg. Qty. 40 Assorted Colors	5219-090

Index

■NOTE: Bolded Items are not found in the CATalog.

#	
120 ACCESSORIES.....	69

A	
A-ARM KIT, 38".....	40
ACCESSORY ADAPTER.....	64
AIRBOX KIT, SPLIT.....	66
ALTITUDE KITS, HIGH.....	76
ANTIFREEZE.....	61
AVALANCHE AIRBAG.....	38
AVALANCHE BEACONS.....	38
AVALANCHE PROBE.....	39
AXLE KIT, LIGHTWEIGHT FRONT.....	41

B	
BAGS	
Backpack.....	38
Dimensions.....	11
Foam Beverage Holder.....	20
Gear.....	17,36,42
Handlebar.....	18,36
Heater.....	18
Mountain Pack.....	36
Rack Bag.....	18
Saddlebags.....	19
Seat Pack.....	19
Tank.....	19
Trunk, Firecat.....	19
Tunnel Pack.....	16,36,42
Underhood.....	19
Windshield.....	17,19,37
Replacement Hardware.....	20
BATTERY CHARGERS/MAINTAINERS.....	64
BELTS, DRIVE	
Application Guide.....	78
Dimension Chart.....	79
Holder.....	64
BILLET ACCESSORIES.....	28-29, 37
BODY PANELS, VENTED.....	39
BUMPER.....	21-22,44

C	
CAM ROLLER, HI-TEMP.....	41
CARGO SLEDS.....	44
CHOKE LEVER REPAIR KIT.....	68
CLEANERS.....	62-63
COVERS	
Arctic Cat Canvas Covers.....	14
Custom.....	14
Dust.....	15
Half.....	15
Headlight.....	33
Premium.....	14
Team Arctic.....	14
Undercover Liner.....	15
Replacement Straps.....	15

D	
DC Power Kit.....	24
DRIVE CLUTCH SPRING.....	68
DOLLY	
Cat Caddy.....	56
Shop.....	57
DEEP SNOW KIT.....	69

E	
ELECTRIC START KIT.....	24
ENGINE HEATER.....	24

F	
FLUID	
ACT Gearcase.....	60
Fox Float.....	62
Flush.....	60
FUEL	
High Octane Race.....	62
De-Icer.....	61
Injection & Carburetor Cleaner.....	61
Stabilizer.....	61
FUEL PUMP REPAIR KITS.....	67

G	
GASKET SETS.....	68
GAUGE, TEMPERATURE.....	65
GEAR SET, LOW RATIO.....	45
GOOGLE HOLDER.....	17,37
GREASE.....	62
GRAPHIC KITS.....	28
GRIP PLATES.....	33

H	
HANDLEBAR	
Grip Adhesive.....	67
Grips.....	29
Heavy-Duty.....	65
Muffs.....	18
Risers.....	40, 65
Stand.....	56
Steering Post Stand.....	56
HAND GUARDS.....	30
HAND WARMER KIT.....	69
HAND WARMERS, PASSENGER.....	45
HEATED SEAT KIT.....	24
HEATED SHIELD ADAPTER.....	57
HELMET PARTS.....	70-74
HITCH KITS.....	23,44
HOOD LATCH REPAIR KIT.....	66
HOOD FLARES.....	34

I	
ICE SCRATCHERS.....	39

L	
LIFT	
Sled.....	56
Front End.....	56
LIGHT	
Backup.....	42
Bar.....	43
Strobe.....	43
LOCTITE	67
LUBE	
Transmission.....	60
Chain.....	60

M	
MIRRORS.....	34

N	
NECK BRACE PARTS.....	75

O	
OIL	
Engine.....	59
Shock.....	60-61
OVERLOAD SPRING TOOL.....	68

P	
PAINT.....	58
PINK ACCESSORY KITS.....	28
PROMOTIONAL PRODUCTS.....	80

R	
RACK	
Billet.....	37
Cargo.....	22,42
Sport.....	22
Crossfire.....	22
Procross.....	22
Proclimb.....	22,37
Touring.....	23
Mat/Pad.....	41,45
M Series.....	37
Strap.....	37
RADIATOR KIT.....	45
RAIL BRACE KIT.....	65
RECOIL HANDLE.....	28,35
REMOTE START KIT.....	24

S	
SAW, POCKET.....	39
SEALANT.....	67-68
SEAT COVER, GRIPPER.....	33
SEAT KIT, 2-UP.....	21
SEAT KIT, PASSENGER.....	46
SEAT, MOUNTAIN.....	37-38
SEAT, THIRD.....	42
SHOCKS	
FOX Float.....	27
Airshox Guards.....	27
Airshox Pump.....	27
Rebuild Kits.....	68
SHOVELS.....	38
SIDE RAILS.....	42
SKI	
Plastic.....	31
Skins.....	44
SKID PLATES.....	33
SNOBUNJE.....	40
SNOWFLAPS.....	34-35,55
SNOW MESH.....	32
SNOW PLOW	
Blades.....	45
Push Frame.....	45
SPARK PLUGS	
Caddy.....	67
Caps.....	66
SPEEDOMETER/TACHOMETER.....	65
SPRING CHART, OPTIONAL.....	76-78
SPRING KIT, OVERLOAD.....	46
STAND, JACK.....	56
STEERING POST, TELESCOPIC.....	40
STEERING POST, VERTICAL.....	39
STUD ACCESSORIES.....	51-55
SWAY BAR KITS.....	66
SWITCH GUARDS.....	39

T	
TANK	
Grips.....	37
Jacket.....	19
Pads.....	36
TAPE.....	57
TETHER SWITCH.....	23
THROTTLE BLOCK.....	66
TIE-DOWNS.....	57
TOE HOLD.....	35
TOW ROPE.....	57
TRACKS.....	47-48
TRACK CLIP TOOL.....	68
TRAIL GROOMER.....	46
TUNNEL FLARES.....	34,41
TUNNEL GRIPS.....	33
TUNNEL PROTECTOR KIT.....	55
TUNNEL RAILS.....	21
TUNNEL UPGRADE KIT.....	69

W	
WEARBARS.....	49-50
WEAR STRIPS.....	34
WHEELS, IDLER.....	35
WHEEL KITS.....	41,66,69
WINCH KIT, WARN.....	43
WINDSHIELDS/WINDSCREENS.....	25-26
WINDSHIELD MOUNTING RING.....	26